
DoW AND THE AKN: WHO, WHAT, WHERE, WHEN, WHY, AND HOW

DoW Air Force Training
12 and 14 May 2026
Virtual

Sam Veloz
Dianne Miller

Elizabeth Neipert
Zoe Duran
Jocelynn Marriott

John Alexander
Caitlyn Gillespie
Nora Honkomp



Blue Jay, Williamsburg, VA; Credit: Paul Block

DoW AND THE AKN: WHO, WHAT, WHERE, WHEN, WHY, AND HOW

DoW Air Force Training
12 and 14 May 2026
Virtual

Sam Veloz
Dianne Miller

Elizabeth Neipert
Zoe Duran
Jocelynn Marriott

John Alexander
Caitlyn Gillespie
Nora Honkomp



pointblue.github.io/dod_workshop



Blue Jay, Williamsburg, VA; Credit: Paul Block




WELCOME, INTRODUCTIONS, AND LOGISTICS



ERDC
ENGINEER RESEARCH & DEVELOPMENT CENTER





Who are **we**?

Who are **you**? (we'll call on you)

- Name, Affiliation, Position
- Have you collected avian data yourself before?
- What type of avian data you collect?
- How would you like to use AKN?

INTRODUCTIONS

A FEW LOGISTICS...

- The Agenda with links (bookmark this):
pointblue.github.io/dod_workshop
- Session: interactive & casual
- Office hours: 16 hours monthly, sign up here



<https://www.dodakn.org/office-hours-booking-page/>



AVIAN
KNOWLEDGE NETWORK

Avian Knowledge Network (AKN): the Who, What, Where, When, Why, and How
DoW AKN NMFWA Training, Columbus, OH, March 30, 2026

Agenda Tools Slides Exercises Resources About Us Archive

Agenda
All times Eastern Daylight Time (EDT)

Monday, March 30
All times Eastern Daylight Time (EDT)

0800 (65 min) — Welcome, Introductions, and the Avian Data Lifecycle
Welcome to the DoW / AKN workshop on using the AKN technologies for managing and utilizing avian data in the AKN.

- Welcome and introductions
- Review the workshop agenda
- The Avian Data Lifecycle
- What to do if you encounter technical problems


0905 (40 min) — AKN Project Data 101: project database, programs, protocols, and sampling units
We will cover how the AKN represents observational data and how to find the best way to organize and curate your data in a project database.

- How the AKN organizes data
- What is a Program?
- What is a Project Database?
- What is a Protocol?
- Choosing and managing protocols (DEMONSTRATION of Project Leaders for configuring protocols, linked from the DOD AKN Portal)
- What are Sampling Units?

- Parking lot items

DoW AKN PORTAL

<https://www.dodakn.org/>



PLUS – DELTA METHOD

- Feedback from workshop to continue to improve

<u>+ PLUS</u> What went well and should be continued or repeated	<u>Δ DELTA</u> What could be changed or improved for future iterations.
--	---

DoW MANDATE MEMO



ENERGY, INSTALLATIONS,
AND ENVIRONMENT

OFFICE OF THE ASSISTANT SECRETARY OF DEFENSE
3400 DEFENSE PENTAGON
WASHINGTON, DC 20301-3400

MEMORANDUM FOR DEPUTY ASSISTANT SECRETARY OF THE ARMY
(ENVIRONMENT, SAFETY AND OCCUPATIONAL HEALTH)
DEPUTY ASSISTANT SECRETARY OF THE NAVY
(ENVIRONMENT AND MISSION READINESS)
DEPUTY ASSISTANT SECRETARY OF THE AIR FORCE
(ENVIRONMENT, SAFETY AND INFRASTRUCTURE)

SUBJECT: Department of Defense Avian Knowledge Network Program

The Department of Defense (DoD), like other federal agencies, has significant regulatory, management, and stewardship responsibilities related to migratory birds. These requirements are driven primarily by the Migratory Bird Treaty Act (MBTA), the "Military Readiness Rule" (50 CFR § 21.15, Authorization of take incidental to military readiness activities) and Executive Order (EO) 13186 "Responsibilities of Federal Agencies to Protect Migratory Birds." In accordance with EO 13186, DoD has also established a Memorandum of Understanding with the U.S. Fish and Wildlife Service outlining the management and stewardship activities DoD will implement for migratory bird conservation. All DoD natural resources conservation programs support DoD access to its land, air, and water resources for realistic military training and testing and to sustain the long-term ecological integrity of the resource base and the ecosystem services it provides, in accordance with the Sikes Act. Collecting data and information from ongoing surveys, inventories, and monitoring are essential to make informed management decisions, efficiently and effectively meet regulatory requirements (e.g., the MBTA, the Sikes Act), conduct environmental analyses, and support planning to adaptively manage migratory bird populations in the context of mission activities. As such, the DoD spends millions of dollars annually to collect these data.

However, even with the collection of large amounts of data, DoD faces significant challenges to fully utilize and optimize our avian data. These challenges include: (1) inefficient access to data for regulatory requirements, environmental analyses, and planning; (2) a lack of visibility on avian species population trends and management across the Military Services and broader landscapes; and (3) a lack of a centralized, secure data repository resulting in data loss during personnel turnover.

To address these challenges, DoD began partnering with other federal agencies (i.e., U.S. Fish and Wildlife Service, Bureau of Land Management, U.S. Forest Service) in the development of the Avian Knowledge Network (AKN) in 2016. The AKN is a national clearinghouse for avian data and decision support tool for assessing bird population health, status and trends, specific stressors, and conservation measures. The AKN connects partner datasets, includes metadata and data assumptions, contains powerful data analysis tools, and is a permanent archive of all data records.

This office fully endorses the use of AKN and requests that each DoD Component utilize AKN to the maximum extent practicable and provide staff the support needed to make AKN the best tool for DoD. A coordinated and comprehensive approach to implement DoD's participation in the AKN will directly support the military mission and improve the quality and effectiveness of bird conservation on DoD installations. For DoD to fully employ the power of AKN, user training and significant initial data management is required. This office, through the DoD Legacy Resource Management Program, is committed to providing baseline support and resources to help implement AKN. This support will provide training and education for personnel, and technical assistance related to system use and data management. The DoD AKN Director is Ms. Elizabeth Neipert, at elizabeth.s.neipert@erdc.dren.mil or 907-201-6244.

Additionally, a national Cooperative Agreement has been established to support AKN implementation. It provides a streamlined process for DoD Components and installations to contribute additional resources to meet their unique needs.

The point of contact for this office is Ms. Liz Galli-Noble, DoD Senior Natural Resources Program Manager and Legacy Resource Management Program Manager, elizabeth.j.galli-noble.civ@mail.mil or 406-581-8148

KIDD, RICHARD, GO
ODWIN, IV, 1163856
081

Digitally signed by
RICHARD GOODWIN IV
DN: cn=RICHARD GOODWIN IV, o=U.S. DEPARTMENT OF WAR, ou=OFFICE OF THE ASSISTANT SECRETARY OF DEFENSE, email=richard.goodwin@defense.gov, c=US
Date: 2022.08.24 11:39:54 -0400

Richard G. Kidd IV
Deputy Assistant Secretary of Defense
(Environment and Energy Resilience)



DoW & AKN

WHY?

DOW DATA ISSUES

- (1) Inconsistent formats and inefficient access to data for regulatory requirements, environmental analyses, planning and research
- (2) Lack of visibility on avian species population trends and management across the Military Services and broader landscapes, resulting in difficulty applying decision-making
- (3) Lack of a centralized, secure data repository resulting in dispersed datasets and data loss during personnel turnover

• Army
• Air Force
• Marine Corps
• DLA

HAWAII

PUERTO RICO

WAKE IS.

GUAM



DoW & AKN

*WHAT
?*

AKN DATA SOLUTIONS

- (1) Allowing efficient access to data for regulatory requirements, environmental analyses, planning and research
- (2) Creating visibility on avian species population trends and management across jurisdictions and broader landscapes and
- (3) Offering secure, centralized data repository and archive

• Army • Navy
• Air Force • DLA
• Marine Corps

HAWAII

WAKE IS.

GUAM

PUERTO RICO

LEGAL DRIVERS

- Migratory Bird Treaty Act (PL 65-186; 16 USC 703 *et seq.*)
- National Environmental Policy Act, as amended. (PL. 91-190, 42 U.S.C. 4321-4347, as amended by Pub. L. 94-52)
- Endangered Species Act (16 U.S.C. 1531-1544, 87 Stat. 884), as amended – PL. 93-205
- Executive Order 13186 *Responsibilities of Federal Agencies to Protect Migratory Birds*
- Sikes Act (PL 105-85, as amended through 2004 including PL 108-136; 16 USC 670 *et seq.*)
- DoD Instruction 4715.03, *Natural Resources Conservation Program*
 - Prioritize species
 - Facilitate and encourage collaboration with partners
 - Focus research and planning efforts
 - Increase information sharing
 - Technology demonstration and transfer
 - Improved efficiencies



Driving Avian Data Questions

1. What species have confirmed occurrence on my installation?
2. What species have the potential to occur on my installation?
3. What species may occur/persist on my installation in the future?
4. How are species “doing” (population metrics) on my installation? (AKA “is my INRMP effective?”)
How are species doing across the military? (AKA “Is the DoW conservation program effective?”)
5. What factors are driving population trends on my installation? Are there conservation measures/actions within my INRMP that are working more than others to reach identified conservation objectives?
6. What is the relative conservation responsibility of avian species on military installations?


FULL
AVIAN
DATA
LIFE
CYCLE




FULL AVIAN DATA LIFE CYCLE



FULL AVIAN DATA LIFE CYCLE



FULL AVIAN DATA LIFE CYCLE



Observations

Species observations with details, layout and titles dependent on protocol.

Quick Tips >>

☐ Separate observations on individual rows
 ☐ Scroll observations (not compatible with all browsers)

Observation Protocol:

VCP100Sx

Total Birds Counted:

7


DATA ENTRY QA/QC

Download CSV

Point ⓘ	Time ⓘ	Species ⓘ	Time Bin ⓘ	Count ⓘ	Detection ⓘ	Distance ⓘ	AnimalSex ⓘ	Notes	
DI-10A	07:21	RWBL	1	1	S	52	Male		✖
DI-10A	07:21	RWBL	1	1	V	52	Male		✖
DI-10A	07:22	TUVU	2	1	V	FLO			✖
DI-10A	07:24	LASP	4	1	V	26			✖
DI-10A	07:24	LASP	4	1	V	94			✖
DI-10A	07:25	LASP	5	1	C	53			✖

FULL AVIAN DATA LIFE CYCLE

ANALYSIS




Total Number of Observations of each Species by Year


copy table to: [CSV](#) [HTML](#) [DOC](#) [PDF](#)

Common Name	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
American Crow	0	7	2	0	5	25	11	5	1	11	0
American Dipper	1	5	7	2	5	1	1	3	3	3	6
American Goldfinch	0	33	0	17	28	15	38	8	21	8	36
American Kestrel	0										
American Pipit	5										
American Redstart	0										
American Robin	44										
American Three-toed Woodpecker	2										
Audubon's Warbler	55										
Bald Eagle	0										
Band-tailed Pigeon	0										
Barn Swallow	0										
Barred Owl	1										


Trend in Abundance over YearCollected. Generalized additive trend estimate of Abundance by Year with locally weighed (loess) smoother. Estimate for Species = Song Sparrow Using Locally Weighed (loess) Smoother




Simple linear trend estimate of Richness (Species per Point) by Year




FULL AVIAN DATA LIFE CYCLE



FULL AVIAN DATA LIFE CYCLE



FULL AVIAN DATA LIFE CYCLE



Project Downloader

This tool allows you to download your observation data, sampling unit configurations, or both on a per-sampling unit, per-project basis. All projects that you have access to, including any in your program, will be available for selection. Once you click the download button, a zip file containing one CSV per selection will download from your browser.

Project

Select one or more projects or sampling units for data download.

Filter

Select all projects

▼ ☒ ★ FORT_CARSON - [DOD_ARMY] Fort Carson

▼ ☒ # Fort Carson (FC)

▼ ☒ # FC IMBCR Surveys (FC_IMBCR)

▶ ☒ # CO-BCR18-DO (CO-BCR18-DO)

▶ ☒ # CO-BCR18-FC (CO-BCR18-FC)

▶ ☒ # CO-BCR18-FF (CO-BCR18-FF)

▶ ☒ # CO-DOD16-FC (CO-DOD16-FC)

▶ ☒ # CO-DOD16-FF (CO-DOD16-FF)

▶ ☒ # Fort Carson Marshbird (FC_MB)

▶ ☒ # Fort Carson Point Count (CARSON_PC)

▼ ☒ # Pinon Canyon Maneuver Site (PCMS)

▼ ☒ # PCMS IMBCR Surveys (PCMS_IMBCR)

▶ ☒ # CO-BCR18-PF (CO-BCR18-PF)

▶ ☒ # CO-BCR18-PM (CO-BCR18-PM)

Observation data

If you would like to download observation data, select the type(s) of survey data to be included in the download.

Survey types

NOTE: If the survey data type is not available for any number of projects you've selected, those projects will not be included in the resulting download.

☐ Point count observations

☐ Area search observations

View & Export Protocols

Viewing protocols within FORT_CARSON


Search

Filter by type All available types

Name	Description	Type
▶ ARSE_PIJA	Area search survey standard protocol from the PIJA Working Group	AreaSearch
▶ BLS_V_BI	BLRA,SORA,VIRA,BLTA	SecretiveMarshBirdCount
▶ IMBCR_VRPC	Bird Conservancy of the Rockies IMBCR 6 min count	PointCount
▶ SiteConditions_FORT_CARSON	Site conditions temperature, wind, sky, noise	SiteConditions

PERMANENT STORAGE & ACCESS

FULL AVIAN DATA LIFE CYCLE





Search FedRAMP.gov

ABOUT USPARTNERSGET AUTHORIZEDRESOURCESBLOGMARKETPLACE

FEDRAMP MARKETPLACE

	Perceptyx Insights Platform	SaaS	Moderate	FedRAMP Authorized	1	0
	Pexip Government Cloud (PGC)	SaaS	Moderate	FedRAMP Authorized	1	0
	PingOne for Government	SaaS	Moderate	FedRAMP Authorized	1	0
	SendPro 360	SaaS	Moderate	FedRAMP Authorized	4	3
	Point Blue Science Cloud	SaaS	LI-SaaS	FedRAMP Authorized	1	0
	USALearning Federal Learning Enclave - SaaS	SaaS	Moderate	FedRAMP Authorized	20	19
	GSS One - Azure	PaaS	Moderate	FedRAMP Authorized	9	26



CASE STUDY: KLAMATH BIRD OBSERVATORY

AKN for Streamlined Data Management

- Bird monitoring since mid 90's
- Data entered directly into AKN since 2016
- Streamlined data management process
- Save time and money every field season

Introduction

AKN Project Data101

Managing Project Metadata

Managing Observation Data

Bulk Uploading Project Data

Day 1 Wrap-up



CASE STUDY:

KLAMATH BIRD OBSERVATORY

Pre-Season:


- Download survey locations from AKN to GPS units

During Season:

- Collect data on paper forms in field
- Enter data directly into AKN

Post-Season:

- Download data to share with partners and analyze



DoW AKN Training – Air Force, 12 & 14 May 2026, Virtual

26

Introduction

AKN Project Data
101

Managing Project
Metadata

Managing
Observation Data

Bulk Uploading
Project Data

Day 1 Wrap-up



AVIAN
KNOWLEDGE NETWORK



**Klamath Bird
Observatory**

CASE STUDY:

KLAMATH BIRD OBSERVATORY

DecimalLatitude	DecimalLongitude	ObservationDate	Time	Collector	CommonName	SpeciesCode	Distance	DetectionCue
42.92888	-122.27877	6/17/2025	9:12:00	AH	Yellow-rumped Warbler	YRWA	20	S
42.92888	-122.27877	6/17/2025	9:15:00	AH	Pileated Woodpecker	PIWO	79	C
42.92888	-122.27877	6/17/2025	9:16:00	AH	Lazuli Bunting	LAZB	76	S
42.92888	-122.27877	6/17/2025	9:12:00	AH	Yellow-rumped Warbler	YRWA	58	S
42.92888	-122.27877	6/17/2025	9:12:00	AH	Nashville Warbler	NAWA	49	S
42.92888	-122.27877	6/17/2025	9:12:00	AH	Lazuli Bunting	LAZB	46	S
42.92888	-122.27877	6/17/2025	9:13:00	AH	Common Raven	CORA	63	V
42.92888	-122.27877	6/17/2025	9:13:00	AH	Golden-crowned Kinglet	GCKI	34	S



Cue	Description
C	Call
S	Song
V	Visual

DoW AKN Training – Air Force, 12 & 14 May 2026, Virtual

27

Introduction

AKN Project Data 101

Managing Project Metadata

Managing Observation Data

Bulk Uploading Project Data

Day 1 Wrap-up



AVIAN
KNOWLEDGE NETWORK



Klamath Bird
Observatory

CASE STUDY:

KLAMATH BIRD OBSERVATORY

Advantages and Efficiencies

- No updating, managing old Access databases or spreadsheets
- Efficient QA/QC process
- Quick data access for new staff members
- No reformatting needed to compile datasets for analyses/data sharing

DoW AKN Training – Air Force, 12 & 14 May 2026, Virtual

28

CAN YOU LOG IN?

Biologists:

data.pointblue.org/science/biologists

Problems logging in?

Best to find a buddy or have one of us help!



Hermit Thrush, MCB Camp Pendleton; Credit: Tim Burr

LIMITATIONS AND CAVEATS

Focus for this training: Point Count data

Office Hours are where we can dig deep into your installation's specific Projects, surveys, data management/analysis needs, and any system issues.




AKN PROJECT DATA 101





AKN: COMMON CLOUD TECHNOLOGY






FOCUS FOR THIS TRAINING

How do we represent protocol-based science?

How do you get data in?

How do you get your data & information out?

What conservation questions can you answer?





MA ARMY NATIONAL GUARD

- Biologist leaving position one week after training
- Had 20+ years of data
- Working through data, realized inconsistencies in data entry
- Standardized protocol in system, showing required fields to be utilized in all future surveys
- Successfully uploaded 35,000 records prior to leaving DoW
- Data ready and available to successor




AKN PROJECT DATA 101

1. The parts of a Project Database

2. The workflow for creating and managing a Project




THE PROJECT DATABASE






WORKFLOW FOR MANAGING A PROJECT



WORKFLOW FOR MANAGING A PROJECT



PROJECT

Container for Event and Observation data

Many ways to organize

For DoW: Project = Installation



DoW Program Structure



Air Force Subprogram



Installation Project
Databases

Army Subprogram



Installation Project
Databases

Navy Subprogram



Installation Project
Databases

Marine Subprogram



Installation Project
Databases

National Guard Subprogram



Installation Project
Databases*

*National Guard
Projects = State
Installation = Study Area



DoW Program Structure



Air Force Subprogram



Installation Project
Databases

Army Subprogram



Installation Project
Databases

Navy Subprogram



Installation Project
Databases

Marine Subprogram




Installation Project
Databases

National Guard Subprogram



Installation Project
Databases

Vandenberg Space Force Base Project Riparian Richness





DoW Program Structure



Air Force Subprogram



Installation Project
Databases

Army Subprogram



Installation Project
Databases

Navy Subprogram



Installation Project
Databases

Marine Subprogram




Installation Project
Databases

National Guard Subprogram




Installation Project
Databases

Vandenberg Space Force Base Project Riparian Richness



Service Branch Program Riparian Bird Richness





DoW Program Structure



Air Force Subprogram



Installation Project
Databases

Army Subprogram



Installation Project
Databases

Navy Subprogram



Installation Project
Databases

Marine Subprogram




Installation Project
Databases

National Guard Subprogram




Installation Project
Databases


Vandenberg Space Force Base Project Riparian Richness



Service Branch Program Riparian Bird Richness



DoW Program Riparian Bird Richness






CASE STUDY: BARRY M. GOLDWATER RANGE (BMGR), AZ

- Participating in Desert Thrasher Working Group
- Existing protocol in the AKN system
- Critical to add data to DoW-owned project
- Conducted surveys and entered data into BMGR project using desert thrasher data entry protocol available in AKN
- Shared data with thrasher initiative
- Data will show when querying DoW data for this species



MANAGING A PROJECT: PROTOCOLS





PROTOCOLS

The *metadata* describing the methods and mechanics of **how** observations were collected


Should provide enough information for researcher 20 years from now to understand the methods you used



FIELD METHODS

vs.

AKN PROTOCOLS



A Survey Protocol for Pinyon Jay Road-based Point Count Surveys

Version 1, March 2023

The road-based survey is a useful method of surveying for Pinyon Jays under certain circumstances and can be used in conjunction with or as an alternative to the Pinyon Jay Working Group (PJWG) pedestrian-based area search survey protocol (Boone et al. 2023; <https://partnersinflight.org/resources/pinyon-jay-working-group/>). Table 1 compares the two protocols.

The PJWG protocol consists of pedestrian surveys of 2.5 x 2.5 km blocks. That method is useful for discrete survey areas known or suspected to have Pinyon Jays, surveys with adequate personnel and funding to complete the time-intensive pedestrian surveys, and areas where foot traffic is allowed.

In some situations, however, road-based surveys may be more appropriate than pedestrian surveys. For example, pedestrian surveys or multiple visits may not be feasible in areas where no information on Pinyon Jay presence exists; in extremely large, previously un-surveyed areas; when financial and personnel resources are limited; or where foot traffic is prohibited, such as some areas on DoD installations.

The key elements of the road-based protocol are:

- 1) Use of 5 x 5 km blocks as the primary survey units. For analysis consistent with 2.5 km surveys, 5 km blocks can be sub-divided into 2.5 km blocks ("plots" in the PJWG protocol).

The 5 km blocks (25 km²) are recommended because of the greater geographical coverage possible with road-based surveys. This block size is based on radio telemetry studies of Pinyon Jay flocks and approximates known breeding season home ranges. [Examples include: 43.05 km² (including two colonies of 16.67 km² and 26.38 km²) (Johnson et al. 2014); 25.51 km² (Johnson et al. 2014); 26.99 km² (Novak 2019).] It is designed to reduce the possibility that a) a single flock moving over its home range will be counted two or more times, and b) more than one flock will be counted as a single flock (resulting in undercounts in a survey block that is too large). Either double-counting or under-counting is undesirable for a species of conservation concern, where accurate population estimates, trends, and occupancy are necessary for conservation and management. Road-based sampling can cover a block rapidly, before a flock can move into a neighboring block, potentially reducing both types of errors.
- 2) Delineation of survey routes along selected roads within the blocks (Figure 1). Blocks must include enough accessible road length to allow at least three point-count stops. If blocks will be subdivided into 2.5 km blocks for analysis, it is desirable to include at least three point-count stops in each 2.5 km block analyzed. However, this may not be possible

Sampling Protocol Definition

Protocol: PIJA_6min

Description	Road-side Point Count PIJA protocol
URL	No URL
Duration	6 minutes
Protocol type	PointCount
Other characteristics	Binned distance protocol

Detection Cues


Summary: A (Aural), NA (Not recorded on datasheet), V (Visual), VA (Both Visual and Aural)

Cue	Description
A	Aural
NA	Not recorded on datasheet
V	Visual
VA	Both Visual and Aural


Distance Bins




PRIMARY PROTOCOL TYPES




Area Search



Point Count



Linear Transect



Secretive Marshbird



Site Conditions

PROTOCOL TYPES DISCUSSION



Point Counts

DoW AKN Training – Air Force, 12 & 14 Ma


2c. Assign Protocols

HOW?

Made by PCSU/RCUH cooperators with NAVFAC, November 2023.



Is your data-type currently supported in AKN??





POINT COUNT PROTOCOLS

Duration of survey at each point

Time (binned)

Distance (binned or exact), maximum

Detection codes

Can include **breeding behavior**

Assumed **exhaustive** survey

Each animal **counted once**



POINT COUNT PROTOCOL EXAMPLES

Compare how 3 field methodologies are represented:



Bird Conservancy of the Rockies IMBCR protocol




Point Blue protocol



KBO protocol



HOW TO ACHIEVE CONFLICTING CONSERVATION OBJECTIVES: THE IMPORTANCE OF STANDARD PROTOCOLS





ASSESSING RAIL RESPONSE TO MANAGEMENT: THE CHALLENGE



Multi-partner Effort

DEVELOPING A STANDARD PROTOCOL

- North American Marsh Bird Protocol-SF Bay
 - 10 min broadcast point count
- Long-term dataset since 2005
- **All partner data in the AKN**






CHOOSING PROTOCOLS (DEMONSTRATION)

Goal: select Point Count and Site Conditions protocols that match data sheet

Tools:

- Our [data sheet](#)
- Protocol search [tool](#)
- [Project Leaders](#) for adding protocol to project

MANAGING A PROJECT: SAMPLING UNITS





SAMPLING UNITS


The locations where observations are collected

Organized into a tree (hierarchy)


Uniquely named with Project

Can have Point/Line/Polygon

SAMPLING UNIT TYPES FOR POINT COUNTS



Project: DOD_DEMO




Replicates or independent points?
What questions are you asking?

**2a. Create
Sampling Units**

WHERE?

SAMPLING UNIT TYPES FOR POINT COUNTS



Project: DOD_DEMO

Study Areas

Demo
Area

Point Count Transects

Demo
Transect

Points

SM-1

SM-2

SM-3

BTM-1

BTM-2


Replicates or independent points?
What questions are you asking?

**2a. Create
Sampling Units**


WHERE?



SAMPLING UNIT TYPES FOR POINT COUNTS



Project: DOD_DEMO



Example- Single-point Transects (independent points)




★ DUGWAY PROVING GROUND - [DOD_ARMY] Dugway Proving Ground

○ IMBCR (IMBCR)

- ▶ ○ IMBCR All Other DoD Lands (UT-BCRg-DD)
- ▶ ○ IMBCR APG (UT-BCRg-AP)
- ▶ ○ IMBCR DoD Lands Pre Restratification (UT-BCRg-DO)
- ▶ ○ IMBCR Mud Flat Pre Restratification (UT-BCRg-MF)
- ▶ ○ IMBCR Mudflats (UT-BCRg-MU)
- ▶ ○ IMBCR Target S (UT-BCRg-TS)
- ▶ ○ IMBCR UTG (UT-BCRg-UR)
- ▶ ○ IMBCR UTTR (UT-BCRg-UT)

▶ ○ PIJA Landscape Survey (PIJA)





= Point Count Point




= Area Search



- ★ DUGWAY_PROVING_GROUND - [DOD_ARMY] Dugway Proving Ground
 - ▼ ○ ■ IMBCR (IMBCR)
 - ▼ ○ ■ IMBCR All Other DoD Lands (UT-BCRg-DD)
 - ▶ ○ ■ UT-BCRg-DD1 (DD1)
 - ▶ ○ ■ UT-BCRg-DD10 (DD10)
 - ▶ ○ ■ UT-BCRg-DD13 (DD13)
 - ▶ ○ ■ UT-BCRg-DD18 (DD18)
 - ▶ ○ ■ UT-BCRg-DD22 (DD22)
 - ▶ ○ ■ UT-BCRg-DD3 (DD3)
 - ▶ ○ ■ UT-BCRg-DD30 (DD30)
 - ▶ ○ ■ UT-BCRg-DD4 (DD4)
 - ▶ ○ ■ UT-BCRg-DD5 (DD5)
 - ▼ ○ ● ■ UT-BCRg-DD6 (DD6)
 - ● DD6-1 (DD6-1)
 - ● DD6-10 (DD6-10)
 - ● DD6-11 (DD6-11)
 - ● DD6-12 (DD6-12)
 - ● DD6-13 (DD6-13)
 - ● DD6-14 (DD6-14)
 - ● DD6-15 (DD6-15)
 - ● DD6-16 (DD6-16)
 - ● DD6-2 (DD6-2)
 - ● DD6-3 (DD6-3)
 - ● DD6-4 (DD6-4)
 - ● DD6-5 (DD6-5)
 - ● DD6-6 (DD6-6)
 - ● DD6-7 (DD6-7)
 - ● DD6-8 (DD6-8)
 - ● DD6-9 (DD6-9)
 - ▶ ○ ■ UT-BCRg-DD9 (DD9)
 - ▶ ○ ■ IMBCR APG (UT-BCRg-AP)
 - ▶ ○ ■ IMBCR DoD Lands Pre Reestratification (UT-BCRg-DO)
 - ▶ ○ ■ IMBCR Mud Flat Pre Reestratification (UT-BCRg-MF)
 - ▶ ○ ■ IMBCR Mudflats (UT-BCRg-MU)
 - ▶ ○ ■ IMBCR Target S (UT-BCRg-TS)
 - ▶ ○ ■ IMBCR UTG (UT-BCRg-UR)
 - ▶ ○ ■ IMBCR UTR (UT-BCRg-UT)
 - ▶ ○ ● ■ PIJA Landscape Survey (PIJA)

▼ ○ ■ PIJA Landscape Survey (PIJA)

- ■ PIJA1 (1)
- ■ PIJA10 (10)
- ■ PIJA11 (11)
- ■ PIJA12 (12)
- ■ PIJA13 (13)
- ■ PIJA14 (14)
- ■ PIJA15 (15)
- ■ PIJA16 (16)
- ■ PIJA17 (17)
- ■ PIJA18 (18)
- ■ PIJA2 (2)
- ■ PIJA20 (20)
- ■ PIJA21 (21)
- ■ PIJA22 (22)
- ■ PIJA23 (23)
- ■ PIJA24 (24)
- ■ PIJA25 (25)
- ■ PIJA26 (26)
- ■ PIJA27 (27)
- ■ PIJA28 (28)





EXAMPLE: FORT HOOD, TX

- Both the Adaptive and Integrative Management Team and Endangered Species Team utilizing system in one installation project
- Structured sampling units for differing survey types

View & Export Protocols

Viewing protocols within FORT_CAVAZOS

Search

Filter by type All available types

Name	Description	Type
▶ 5_5TB_8DC_exact_ext	Exact distance point count lasting 5 minutes split into 1-minute time bins with detection cues, sex, and cluster codes	PointCount
▶ BCVI_Habitat_Weather	Habitat and Weather for BCVI Surveys	SiteConditions
▶ BCVI_VRPC	Variable-radius point count lasting 3 minutes adapted for BCVI surveys	PointCount
▶ FTHOOD_WEATHER_COWS	Weather with temp, wind, sky, and precipitation, and total number of cows	SiteConditions
▶ FTHOOD_WEATHER_FALL_COWS	Weather with temp, wind, sky, and precipitation, and total number of cows for fall point counts	SiteConditions

- ▼ ☒ ★ FORT_CAVAZOS - [DOD_ARMY] Fort Cavazos
 - ▶ ☐ # Black-capped Vireo Distance Sampling (BCVI_DS)
 - ▶ ☐ # Fort Hood Cowbird Traps (FHCT)
 - ▶ ☐ # Grassland Breeding Bird Survey (GBBS)
 - ▶ ☐ # Grassland Point Counts 2016-2018 (GRASSLAND)
 - ▶ ☐ # Monitoring of Owls and Nightjars (MOON)
 - ▶ ☐ # Northern Bobwhite Point Counts (NOBO_PC)



BREAK

NEXT: CREATING SAMPLING UNITS & ADDING RESEARCHERS





MANAGING PROJECT METADATA

EXERCISE 1: CREATE SAMPLING UNITS




CREATE SAMPLING UNITS

EXERCISE 1

Purpose: Learn how to create a sampling unit hierarchy within a project to support a point count survey

Goal: Create a new point count transect with one point under your service branch's Study Area (e.g., Army) in the “DOD_DEMO” Project




Project: DOD_DEMO



CREATE SAMPLING UNITS

EXERCISE 1

Reminder about Study Areas: In the project DOD_DEMO, your STUDY AREA is your service branch. The name is listed first, followed by the short name in parentheses.



For example, this Study Area Name is Air Force, and the Study Area Short Name is AIRFORCE



CREATE SAMPLING UNITS

EXERCISE 1

Exercise 1 instructions



CREATE SAMPLING UNITS

EXERCISE 1 *(THINKING AHEAD)*

- Consider how you might organize your data
 - Study Areas can be based on survey type rather than geography:
 - Ex- Study Area 1: multi-species point counts
 - Ex- Study Area 2: burrowing owl surveys
 - Only group points together in the same transect if they are part of the same survey (geographically grouped and collected on the same day)
 - Consider how you might name your study locations based on geographic features and numbers. (e.g., Emerald Hills 1, Alpha Maneuver Area 3)
 - Remember the hierarchy for point counts is
Study Area → Transect → Point(s)
- We will be building on this exercise later! Think about how your naming strategy can scale as you add surveys and points.



LONG NAME VS SHORT NAME: WHAT'S THE DIFFERENCE?

- Every sampling unit has a **Short Name** and a **Long Name**
 - Short Names and Long Names can be the same
- **Short Name + Long Name** combinations must be unique within an AKN Project
 - e.g., transect names and point count names **CAN NOT BE THE SAME**
- **Short Names** will be seen throughout the tools and in your data download
 - It is the shorthand name for each sampling unit
- **Short Names** are limited to 12 characters
- **Long Names** can be longer and more descriptive, if useful



LONG NAME VS SHORT NAME: WHAT'S THE DIFFERENCE?

EXAMPLES (any of these would be correct):

Point Count Transect Long Name	Point Count Transect Short Name
East Training Area	ETA
East Training Area 1	ETA-1
ETA	ETA
ETA-1	ETA-1




DOWNLOAD SAMPLING UNITS DEMONSTRATION

Download sampling units:

- [Project Leaders](#) for download sampling unit locations to GPS, GIS and more

MANAGING A PROJECT: RESEARCHERS





RESEARCHERS

People identified in a Project for getting access and/or who made observations

Created by user registration (for active users) or manual entry (for historical data)

RESEARCHER TYPES


Project Leader: the data owner, has full control over data, metadata, and who gets Project access

Biologist: can enter and review data in the Project




RESEARCHERS & PROJECT ACCESS

Project access assigned by Project Leader



Jane: Project Leader
Mike: Biologist
Pat: Biologist




Zac: Project Leader
Meg: Project Leader
Kim: Biologist
Pat: Biologist



RESEARCHERS & PROJECT ACCESS

DoW also has a Program Leader (Program = group of many Projects)
(managed by Point Blue staff w/ guidance from DoD leadership)






ADDING RESEARCHERS DEMONSTRATION

Tools:

- [Project Leader](#) for adding researchers to Project

QUESTIONS ON MANAGING PROJECT METADATA?







MANAGING OBSERVATION DATA



WORKFLOW FOR MANAGING A PROJECT



MANAGING A PROJECT: OBSERVATION DATA





SAMPLING EVENTS AND OBSERVATIONS

Event: survey at a Sampling Unit using a Protocol by Researcher at a specific date and time

Observation: one or more individuals of a single species detected during an Event


3. Enter Events
and Observations

WHEN?

WHAT?

REVIEW LEVELS FOR EACH EVENT

Steps to enter and review data in preparation for sharing



MANAGING OBSERVATION DATA THROUGH BIOLOGIST

- Data entry using Biologist
 - Best for direct entry into the system

[illegible]

Datasheet

Biologists 

 New Point Count Visit

What did you see during your visit?

 General

Enter the following information about your visit.

 [Quick Tips >>](#)

Enter date of event

Visit 

1 

Data Sharing 

RAW 

Observer 

Duran, Zoe 



Biologists Application

Web-based Form



MANAGING OBSERVATION DATA

EXERCISE 2: ENTER & PROOF POINT COUNT EVENT




ENTER & PROOF POINT COUNT EVENT

EXERCISE 2


Purpose: Learn how to enter survey data and site conditions in Biologists and proof those data

Goal: Enter the sample data for the sampling unit you created in Exercise 1, save it, and proof those data



ENTER & PROOF POINT COUNT EVENT EXERCISE 2


Exercise 2 instructions



ENTER & PROOF POINT COUNT EVENT

EXERCISE 2 *(THINKING AHEAD)*

- Data marked Clean through proofing will load into the data warehouse, making it available to analysis tools
- As Project Leader, you will:
 - Grant users who collect data access to Biologists to enter and proof their own data
 - Add protocols to the project and manage sampling units



DOWNLOAD POINT COUNT OBSERVATION DATA FROM PROJECT DEMONSTRATION

Tools:

- [Project Leaders](#) for download observations from our Project



BULK UPLOADING METADATA & OBSERVATION DATA INTO A PROJECT



BULK LOADING DATA

Loading spreadsheet data into the Project Database for loading Researchers, Sampling Units, and Observations (e.g., historic datasets)

Observations: Uses definition file to describe how your spreadsheet maps into AKN



BATCH PROCESSING

Bulk Uploader v2 - Beta

Follow the steps below to load data in bulk into your project.

First, select the Project you want to bulk load into

FORT_HOOD - (IDOD_ARMY) Fort Hood

Next, select the Tool you want to use

Each tool independently does a task that helps you bulk load data into your project. Many of the tools process data in Batch, processing data in batches. Batch results can be found in the Batches tool.

[Add Researchers](#)[Add Sampling Units](#)[Add Observations](#)[Add Protocol](#)[Batch](#)

Results:

Batches for project FORT_HOOD

The table is showing all batches for this project. Click on a row to get the batch result details when Status is success or error.

Save as CSV Refresh list

ID	Utility	Status	Status Detail	Submitted	Duration	Actions
455	AddSamplingUnits	success	batch completed successfully	2021-08-10 20:07:48	0:01	
454	AddSamplingUnits	error	batch completed with errors	2021-08-10 20:06:33	0:00	
453	AddObservations	success	batch completed successfully	2021-08-09 19:25:10	1:03	
452	AddObservations	error	batch completed with errors	2021-08-09 19:24:41	0:04	
451	AddObservations	error	batch completed with errors	2021-08-09 19:23:19	0:09	
450	AddObservations	error	batch completed with errors	2021-08-09 19:18:37	0:04	
449	AddObservations	error	batch completed with errors	2021-08-09 19:03:35	0:03	
448	AddObservations	error	batch completed with errors	2021-08-09 19:00:23	0:00	

Results:

Errors:

Error line 744: Value not allowed for weatherwinddirectioncardinal: East Northeast

Error line 1055: The count field is required.

Add Observations Summary: CSV Rows Reviewed: 1054

Batch ID 451

AddObservations

plimptonc@gmail.com

Results:

Add Observations Summary: CSV Rows Reviewed: 1054, New PointCount Events created: 217, New PointCount Observations created: 1045, New PointCount SiteConditionEvents created: 217, New PointCount SiteConditionProperties created: 1207



BULK UPLOADING PROJECT DATA

EXERCISE 3: BULK UPLOADING SAMPLING UNITS





BULK UPLOADING SAMPLING UNITS

EXERCISE 3

Purpose: Build on Exercise 1 using the Bulk Upload tool to create multiple sampling units at once for a given survey type

Goal: Bulk upload a new point onto your existing transect and add a new transect with three points

BULK UPLOADING SAMPLING UNITS

EXERCISE 3

Tip: Go back to Project Leader (Sampling Units-> Create and Manage) and take a look at the sampling unit you already created in Exercise 1. In this exercise, we'll create a new point under the existing transect, plus add a new transect with new points.

After Exercise 1:

- ▼ ○ ★ DOD_DEMO - DoD Demonstration Project
 - # Air Force (AIRFORCE)
 - # Army (ARMY)
 - ▶ ○ # CAMASNWR (CAMASNWR)
 - # Field Exercise (FIELD)
 - # Marine Corps (MARINES)
 - # National Guard (GUARD)
 - ▼ ○ # Navy (NAVY)
 - ▼ ● # CRG (CRG)
 - ● CRG1 (CRG1)
 - # Other Service Branch (OTHER)

Study Area: Navy
Point Count Transect: CRG
Point Count Point: CRG1

After Exercise 3:

- # Air Force (AIRFORCE)
- # Army (ARMY)
- ▶ ○ # CAMASNWR (CAMASNWR)
- # Field Exercise (FIELD)
- # Marine Corps (MARINES)
- # National Guard (GUARD)
- ▼ ○ # Navy (NAVY)
 - ▼ ○ # CRG (CRG)
 - ● CRG1 (CRG1)
 - ● CRG2 (CRG2)
 - ▼ ○ # CRGB (CRGB)
 - ● CRGB1 (CRGB1)
 - ● CRGB2 (CRGB2)
 - ● CRGB3 (CRGB3)
- # Other Service Branch (OTHER)

Make sure you are using the same Study Area (your service branch or affiliation) for Exercise 3!

In this example, the Study Area Name is Navy and the Study Area Short Name is NAVY

**2a. Create
Sampling Units**

WHERE?



LONG NAME VS SHORT NAME: WHAT'S THE DIFFERENCE?

EXAMPLES (any of these would be correct):

Point Count Transect Long Name	Point Count Transect Short Name
East Training Area	ETA
East Training Area 1	ETA-1
ETA	ETA
ETA-1	ETA-1

BULK UPLOADING SAMPLING UNITS

EXERCISE 3

Exercise 3 instructions

BULK UPLOADING SAMPLING UNITS

EXERCISE 3 *(THINKING AHEAD)*

- The Bulk Uploader tool is useful when you have many sampling units to add to your project.
- The Bulk Uploader tool can add sampling units to an existing hierarchy or create an entirely new hierarchy *(remember our discussion thinking about Study Areas!)*
- The Bulk Uploader tool can also add Researchers or Observation data to your project
 - Note: we will not be covering those use cases today but can assist in office hours



EXAMPLE: FORT CARSON, CO

Project

Select a project or sampling unit within which you would like to add or edit a sampling unit.

Filter

All available projects and programs

- ▼ ☒ ★ FORT_CARSON - [DOD_ARMY] Fort Carson
 - ▼ ☐ # Fort Carson (FC)
 - ▶ ☐ # FC IMBCR Surveys (FC_IMBCR)
 - ▼ ☐ # Fort Carson Marshbird (FC_MB)
 - ▶ ☐ # Cottonwood Spring (MB_COTTON)
 - ▶ ☐ # Frog Pond (MB_FROG)
 - ▶ ☐ # Haymes Reservoir (MB_HAYMES)
 - ▶ ☐ # Infantry Creek East (MB_INFEAST)
 - ▶ ☐ # Infantry Creek West (MB_INFWEST)
 - ▶ ☐ # K Ditch (MB_KDITCH)
 - ▶ ☐ # Lytle Spring (MB_LYTLE)
 - ▶ ☐ # Middle School Area (MB_MIDSCHOOL)
 - ▶ ☐ # MSR 1 / Range 113 (MB_RG113)
 - ▶ ☐ # North B Ditch (MB_BDITCH)
 - ▶ ☐ # Northside Reservoir (MB_NORTHSIDE)
 - ▶ ☐ # Range 04 (MB_RGo4)
 - ▶ ☐ # Range 08 (MB_RGo8)
 - ▶ ☐ # Training Area 05 / Rock Creek (MB_TA05)
 - ▶ ☐ # Training Area 08 / AHA (MB_TA08)
 - ▶ ☐ # Womack Reservoir (MB_WOMACK)
 - ▶ ☐ # Fort Carson Point Count (CARSON_PC)
 - ▼ ☐ # Pinon Canyon Maneuver Site (PCMS)
 - ▼ ☐ # PCMS IMBCR Surveys (PCMS_IMBCR)
 - ▶ ☐ # CO-BCR18-PF (CO-BCR18-PF)
 - ▶ ☐ # CO-BCR18-PM (CO-BCR18-PM)

View & Export Add Remove

View & Export Protocols

Viewing protocols within FORT_CARSON

Search

Filter by type All available types ▼

Name	Description	Type
▶ ARSE_PIJA	Area search survey standard protocol from the PIJA Working Group	AreaSearch
▶ BL_S_V_Bl	BLRA,SORA,VIRA,BLTA	SecretiveMarshBirdCount
▶ IMBCR_VRPC	Bird Conservancy of the Rockies IMBCR 6 min count	PointCount
▶ SiteConditions_FORT_CARSON	Site conditions temperature, wind, sky, noise	SiteConditions
▶ SiteConditions_PIJA	Site Conditions PIJA protocol developed by the PIJA Working Group	SiteConditions
▶ SPCH_LOCATION	Species checklist with coordinates	AreaSearch
▶ VRPC	Model to predict bird distribution based on vegetation, elevation, and other factors	PointCount

EDITING DATA DEMONSTRATION

Tools:

- [Biologist](#) to edit observations from a Project

OFFICE HOURS


Discuss bulk loading and other issues regarding your observation data

Office Hours sign up is on the DoW AKN Portal page:
<https://www.dodakn.org/office-hours-booking-page/>

- Next appointment dates: May 19 & 21



ANY QUESTIONS ON MANAGING PROJECT DATA?





DAY 1 WRAP-UP




DoW AND THE AKN: WHO, WHAT, WHERE, WHEN, WHY, AND HOW

DoW Air Force Training
12 and 14 May 2026
Virtual

Sam Veloz
Dianne Miller

Elizabeth Neipert
Zoe Duran
Jocelynn Marriott

John Alexander
Caitlyn Gillespie
Nora Honkomp



pointblue.github.io/dod_workshop




Northern Bobwhite, Kanopolis Reservoir, Kansas; Credit: Ryan A Williams



AKN DATA SHARING LEVELS



MANAGING A PROJECT: DATA SHARING LEVELS




DATA SHARING LEVELS

Defines how visible each observation is for querying, summarizing, visualizing, and analyzing.

Controlled by the Project Leader within each Project

REVIEW LEVELS FOR EACH EVENT


Steps to enter and review data in preparation for sharing



**5. Assign Data
Sharing Levels**


DATA SHARING LEVELS FOR EACH EVENT

Choices informs the Point Blue Science Cloud tools of your intentions.



DATA SHARING AND TOOL ACCESS

Choices informs the Point Blue Science Cloud tools of your intentions.



**5. Assign Data
Sharing Levels**

DATA SHARING LEVEL MOTIVATION

- Organizational Policy
- Federal / State Law
- Research and Right of First Publication
- Threatened / Endangered Species
- Private Landowner Agreements
- Contribute to AKN Science
- Partnership / Collaboration Development

**5. Assign Data
Sharing Levels**

SETTING DATA SHARING LEVELS DEMONSTRATION


Tools:

- [Project Leaders](#) to set/edit sharing levels



EXAMPLE: USACE-WILLAMETTE VALLEY PROJECT, OR

- New biologist took DoW AKN training at NMFWA
- Worked with DoW AKN Team to ID data within boundary
- Data was both USACE and partner data
- Created USACE WVP within USACE enterprise
- Gained access to USACE-owned data
- Reaching out to partners about sharing data within boundary






AKN WAREHOUSE DATA 101



MANAGING A PROJECT: DATA WAREHOUSES





DATA WAREHOUSES


Database with homogenized copy of observation data, organized by sampling method for cross-project query and analysis

Enables data from **different Protocols** under the same data type (e.g., Point Count) to be aggregated



White-breasted Nuthatch, Williamsburg, VA; Credit: Paul Block

DATA WAREHOUSES



Raw Data – Differs by Protocol Fields


Stored in its full fidelity in your AKN Project Database



Warehouse Data – Homogenized Data, Comparable across Protocols

Stored in the Warehouse database

*Only **data you have access to** or that are shared at Level 5*



AKN Warehouse
Data 101

Discovering
Observation Data

Looking For Trends

DoW AKN Program
and AKN Tools

Next Steps for You

Day 2 Wrap Up



AVIAN
KNOWLEDGE NETWORK

PROJECT DATA VS. WAREHOUSE DATA

Study Area	Transect	Point	Protocol	Visit	Date	Start Time	End Time	Time Bin	Time Bin	Count	Spp	Common Name	Scientific Name	Detection	Distance B	Distance B	Point Note	Obs	Researcher	Data Status
LITTLERIVER	COMP_5	164	3_5_10m2	1	6/3/2019	8:01:00	8:11:00	3	0_3min	1	PIWA	Pine Warbler	Setophaga pinus	NR	G25	25 to 50	Light sprinkle, light rain		Arbour, David	AVAILABLE Level 5
LITTLERIVER	COMP_5	164	3_5_10m2	1	6/3/2019	8:01:00	8:11:00	3	0_3min	1	GCFL	Great Crested Flycat	Myiarchus crinitu	NR	G50	50 to 100	Light sprinkle, light rain		Arbour, David	AVAILABLE Level 5
LITTLERIVER	COMP_5	164	3_5_10m2	1	6/3/2019	8:01:00	8:11:00	3	0_3min	1	KEWA	Kentucky Warbler	Geothlypis formc	NR	G50	50 to 100	Light sprinkle, light rain		Arbour, David	AVAILABLE Level 5
LITTLERIVER	COMP_5	164	3_5_10m2	1	6/3/2019	8:01:00	8:11:00	10	5_10min	1	BHCO	Brown-headed Cow	Molothrus ater	NR	G50	50 to 100	Light sprinkle, light rain		Arbour, David	AVAILABLE Level 5

Project	Location	Protocol	Date	Time	HabitatPlot	HabitatPlot	HabitatPlot	HabitatPlot	HabitatPlot	HabitatPlot	Researcher
					HabitatPlotId	Composition	Composition	Composition	Composition	Composition	
LITTLERIVERNWR	164	FWS_PC_HAB_LWRMISS	6/3/2019	8:01:00	164	Vine	Cane	Overstory	Midstory	Understory	4 Arbour, David



Raw Data Download

Project Database Version

Warehouse Version

GlobalUniqueIdentifier	ProjectCode	ProjectName	LocalityID	StudyArea	Transect	TransectName	Point
URN:catalog:PRBO:LITTLERIVERNWR.300600.PointCount.3_5_10m25_50_100MFLyByTm.329406.1	LITTLERIVERNWR	Little River NWR	LITTLERIVERNWR:COMP_5	Little River NWR	COMP_5	Compartment_5	
URN:catalog:PRBO:LITTLERIVERNWR.300600.PointCount.3_5_10m25_50_100MFLyByTm.329406.2	LITTLERIVERNWR	Little River NWR	LITTLERIVERNWR:COMP_5	Little River NWR	COMP_5	Compartment_5	
URN:catalog:PRBO:LITTLERIVERNWR.300600.PointCount.3_5_10m25_50_100MFLyByTm.329406.3	LITTLERIVERNWR	Little River NWR	LITTLERIVERNWR:COMP_5	Little River NWR	COMP_5	Compartment_5	164 300600 348115 Point
URN:catalog:PRBO:LITTLERIVERNWR.300600.PointCount.3_5_10m25_50_100MFLyByTm.329406.4	LITTLERIVERNWR	Little River NWR	LITTLERIVERNWR:COMP_5	Little River NWR	COMP_5	Compartment_5	164 300600 348115 Point

DecimalLatitt	DecimalLon	Visit	ProtocolCode	Observatic	Year Collec	Month	DayC	JulianDa	JulianDayV	P Time	Collec	ScientificN	CommonN	SpeciesCor	Phylogent	DistanceFr	Flyc I	Detectic	E Observa	NoObse	RecordPermissions
33.9699705	-94.70262	1	3_5_10m25_50_100MFLyByTm	6/3/2019	2019	6	3	154	75	8:01:00	DA	Setophaga	Pine Warb	PIWA	1696	37.5		NR	1	0	AVAILABLE LEVEL 5
33.9699705	-94.70262	1	3_5_10m25_50_100MFLyByTm	6/3/2019	2019	6	3	154	75	8:01:00	DA	Myiarchus	Great Cres	GCFL	1254	75		NR	1	0	AVAILABLE LEVEL 5
33.9699705	-94.70262	1	3_5_10m25_50_100MFLyByTm	6/3/2019	2019	6	3	154	75	8:01:00	DA	Geothlypis	Kentucky	KEWA	1718	75		NR	1	0	AVAILABLE LEVEL 5
33.9699705	-94.70262	1	3_5_10m25_50_100MFLyByTm	6/3/2019	2019	6	3	154	75	8:06:00	DA	Molothrus	Brown-hea	BHCO	2015	75		NR	1	0	AVAILABLE LEVEL 5



Public Data Download

DoW AKN Training – Air Force, 12 & 14 May 2026, Virtual

121



PROJECT DATA VS. WAREHOUSE DATA

Point Count Data


Same: Species, Count, Protocol, Locations, Detection Cues, Observation Time, Data Sharing Levels

Differences: Binned Distance averaged, Comments missing, no Site Conditions, Observer Names to Initials, no Time Bin

CASE STUDY:

USFS REGION 8

- **30-year** USFS database with bird monitoring data across 34 national forests and 13 states was being **decommissioned**
- FS regional biologist wanted to save data and make sure current FS biologists could access it
- **1,121,654** point count observation records(**13,664** sampling locations) uploaded to AKN!
- **100+** FS biologists in Region 8 now have access to their data and continue to contribute new data every year
- Data used to create species distribution models, now being applied in multiple AKN decision support tools







Point Blue
Conservation
Science™



CASE STUDY:

SPECIES-CENTERED HABITAT MODELING

(Shirley et al 2013, Betts et al 2014,
Halstead et al 2019)




Compared to Land Cover Derived Models:

- High prediction ability
- Wider temporal range
- Avoid uncertainty:
 - misclassification of habitats
 - omission of fine-scale features
 - subtle changes in vegetation




CASE STUDY: PINE WARBLER HABITAT DISTRIBUTION -- 2019



CASE STUDY: MAPPING HABITAT FOR PRIORITY SPECIES



Bachman's
sparrow



**USFS
+
DoW**

DOWNLOAD POINT COUNT DATA FROM WAREHOUSE DEMONSTRATION



Tools:

- [**Data Downloader**](#)

**6c. Analyze
Observations**



DATA OWNERSHIP, SHARING, AND CONTRACTORS



DATA OWNERSHIP AND CONTROL

Project Leaders / Organizations are the owner of data from a Project, regardless of where it is stored

Project Leaders can change Data Sharing Levels at any time, including making more restrictive



PARTNERSHIPS AND CONTRACTORS

Partner / Contractors

- DoW collects data for a Partnership
- Hiring independent contractors for survey work

DoW

- Wants to ask questions across DoW
- Needs to manage and control all data on installations


We want data collected on/near DoW installations in DoW Projects

CONTRACTORS & TRAINING

MICHIGAN ARMY NATIONAL GUARD (MIARNG)

- Contracts Kalamazoo Nature Center (KNC) to complete bird surveys
- Wanted to train long-term staff to use AKN
- Attended training and entering data
- Additional benefit, KNC to enter other data, supplementing MIARNG data

>>Same story with AZGFD!



Project

Select one or more projects or sampling units for data download.

Filter

All available projects and programs

Select all projects

- ✓ MIARNG - [DOD_NATGUARD] Michigan Army National Guard
 - ✓ Camp Grayling (CGJMTG)
 - ✓ Golden-winged warbler (GWWA)
 - ✓ Grassland birds (GB)
 - ✓ Pine barrens birds (PB)
 - ✓ Raptors (RA)
 - ✓ Red-headed woodpecker (RHWG)
 - ✓ Secretive Marsh Bird (SMB)
 - ✓ Fort Custer (FCTC)
 - ✓ 1-1-1 (1-1-1)
 - ✓ 1-10-10 (1-10-10)
 - ✓ 1-2-2a (1-2-2a)
 - ✓ 1-2-2b (1-2-2b)
 - ✓ 1-6-6 (1-6-6)

Observation data

If you would like to download observation data, select the type(s) of survey data to be included in the download.

Survey types

NOTE: If the survey data type is not available for any number of projects you've selected, those projects will not be included in the resulting download.

- ☐ Point count observations
- ☐ Area search observations
- ☐ Secretive marshbird observations
- ☐ Vegetation observations
- ☐ Site condition observations
- ☐ Linear transect observations
- ☐ Soil survey observations
- ☐ WFL territory summaries
- ☐ Banding observations

Date filter

Select a date filter to limit observation data downloaded to those created within the specified range.

Start date Stop date

Sampling units

If you would like to download sampling units, select which file type(s) to include in the download.

- ☐ CSV
- ☐ KML
- ☐ Shapefile
- ☐ GPSU
- ☐ Waypoint
- ☐ Sampling unit hierarchy for entire project as text file



DISCOVERING OBSERVATION DATA



EXAMPLE: R.A.I.L. TOOL

VANCE AIR FORCE BASE, OK

- Biologist was new to AF and did not have any bird data
- Wanted a list of birds on Vance for NEPA and INRMP updates
- RAIL tool available at no cost and without an account

Integrates data from AKN, Partners in Flight, US Fish and Wildlife, Breeding Bird Survey, eBird, All About Birds, and the Macaulay image library at Cornell

<https://data.pointblue.org/apps/rail/>

 **Make Decisions**




R.A.I.L. tool
(Rapid Avian Information
Locator)

Identify the set of birds that occur within
specific geographic regions and their
conservation status and population trends.
No account required.

EXAMPLE: R.A.I.L. TOOL

VANCE AIR FORCE BASE, OK





EXAMPLE: R.A.I.L. TOOL

VANCE AIR FORCE BASE, OK

Rapid Avian Information Locator (RAIL)

Before using this tool, please read [About the RAIL tool](#)


Use all available species

Go to location
Vance AFB

Highway 49
Topo
Satellite

Species Results (Currently showing 172 of 172 results)

BCR(s): 19-CENTRAL_MIXED_GRASS_PRAIRIE
State(s): OK

Bird Species	Population Estimates	Conservation Status	Detail
 American Avocet <i>Recurvirostra americana</i>	Global: Not yet available Continental U.S.: Not yet available	BCRBCC Breeding: 9, 33	▼
 American Bittern <i>Botaurus lentiginosus</i>	Global: Not yet available Continental U.S.: Not yet available	State Threatened: MD State Endangered: MA, CT, NJ, PA, OH, IN	▼
 American Coot <i>Fulica americana</i>	Global: Not yet available Continental U.S.: Not yet available	Common	▼

 Barn Swallow <i>Hirundo rustica</i>	Global: 190,000,000 Continental U.S.: 40,000,000	Common	▼
 Bell's Vireo <i>Vireo bellii</i>	Global: 5,700,000 Continental U.S.: 4,600,000	Common	▼
 Belted Kingfisher <i>Megasceryle alcyon</i>	Global: 1,800,000 Continental U.S.: 830,000	BCRBCC Breeding: 13	▼
 Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	Global: Not yet available Continental U.S.: Not yet available	Common	▼
 Black-crowned Night-Heron <i>Nycticorax nycticorax</i>	Global: Not yet available Continental U.S.: Not yet available	State Threatened: ME, NJ, OH State Endangered: DE, PA, IN	▼
 Black-throated Green Warbler <i>Setophaga virens</i>	Global: 9,200,000 Continental U.S.: 2,900,000	BCRBCC Breeding: 27	▼



EXAMPLE: R.A.I.L. TOOL

VANCE AIR FORCE BASE, OK

Filter Species Results

Length Min (cm)	Length Max (cm)	Primary Breeding Habitat	
Biology			
Egg Length Min (cm)	Egg Length Max (cm)	Incubation Period Min (days)	Incubation Period Max (days)
Egg Width Min (cm)	Egg Width Max (cm)	Clutch Size Min (integer)	Clutch Size Max (integer)
Number of Broods Min (integer)	Number of Broods Max (integer)	Food Category	
Behavior Category		Nesting Category	

Conservation Status

Continental Importance ☐ Half Life ☐ Federally Threatened or Endangered

Bird of Conservation Concern (BCC) ☐ Migratory Bird Treaty Act (MBTA) - Listed

☐ DoD Mission Sensitive Species

APPLY

Rapid Avian Information Locator (RAIL)

Before using this tool, please read [About the RAIL tool](#)



SELECT AREA



GET RESULTS

Type a species...

Selected species

BAEA - Bald Eagle



OSFL - Olive-sided Flycatcher



HASP - Harris's Sparrow



Bald Eagle
Haliaeetus

Global: 200,000
Continental U.S.: Not yet available

State Threatened: MA, CT, NH, NY, TX

State Endangered: NJ, VT, CA

Alpha Code

Alpha Code¹: Not yet available

Physical Details

Weight²: 3000 - 6300 g

Length²: 71 - 96 cm

Habitat

Habitat Category²: Forests

Primary Breeding Habitat⁴: Wetlands, Generalist

Population Information

Global Population³: 200,000

% Population Estimate USA³: Not yet available
Lower 95% Bound USA³: Not yet available
Upper 95% Bound USA³: Not yet available

Continental Population Trend⁴: Significant large increase

Regional Population Trend⁴: BCR19 - Significant large increase

% BCR Population³: BCR 19 - 0.00%
Lower 95% Bound BCR³: BCR 19 - null
Upper 95% Bound BCR³: BCR 19 - null

% State Population³: OK - 0.00%
Lower 95% Bound State³: OK - null
Upper 95% Bound State³: OK - null

Biology

Food Category²: Fish

Behavior Category²: Soaring (raptor)

Nesting Category²: Tree

Incubation Period²: 34 - 36 days

Clutch Size²: 1 - 3 eggs

Number of Broods²: 1

Egg description²: Dull white, usually without markings.

Egg length²: 5.8 - 8.4 cm

Conservation Status

Continental Importance⁴: Not yet available

Half Life⁴: Not yet available

Federally Threatened⁶: No

Federally Endangered⁶: No

State Threatened⁷: MA, CT, NH, NY, TX

State Endangered⁷: NJ, VT, CA

Migratory Bird Treaty Act⁸: Listed

Bird of Conservation Concern⁹: No

NAVIGATING THE R.A.I.L. TOOL DEMONSTRATION

Tools:

- [RAIL Tool](#)



EXERCISE 4: CREATE A SPECIES LIST WITH THE R.A.I.L. TOOL



CREATE A SPECIES LIST WITH THE R.A.I.L. TOOL

EXERCISE 4

Purpose: Get familiarized with the RAIL tool, which can help you find general information about the species in a particular area and their conservation status

Goal: Be comfortable navigating the RAIL tool to find information about species on your installation and understand the limitations of the tool

Thinking Ahead: Consider how RAIL might be helpful for your analyses and reporting

CREATE A SPECIES LIST WITH THE R.A.I.L. TOOL

EXERCISE 4

Exercise:

- [Exercise 4 instructions](#)





BREAK

NEXT: LOOKING FOR TRENDS



ERDC
ENGINEER RESEARCH & DEVELOPMENT CENTER





CASE STUDY: MIGRATORY SHOREBIRD PROJECT

- Largest coordinated effort to monitor wintering shorebirds across all **13 countries** of the Pacific Coast of the Americas
- Project goals
 - Wintering Shorebird **abundance and distribution**
 - Factors **influencing** shorebird populations
 - Provide **science-based management** guidance from site to fly-way level





Western Sandpiper, Dam Neck Annex, VA; Credit: Paul Block



CASE STUDY:


MIGRATORY SHOREBIRD PROJECT



CASE STUDY: MIGRATORY SHOREBIRD PROJECT

North Island Coronado Beach


Black-bellied plover abundance



CASE STUDY:


MIGRATORY SHOREBIRD PROJECT

- Data collected between November and December every year since 2011
- <https://migratoryshorebirdproject.org>




CASE STUDY: MIGRATORY SHOREBIRD PROJECT

San Diego Bay: Wintering shorebird species richness





MANAGING A PROJECT: LOOKING FOR TRENDS






USING THE ANALYST TOOL DEMONSTRATION

Tools:

- <https://data.pointblue.org/apps/analysts/>

Common Name	2013	2014	2015	2016	2017	2021
Acadian Flycatcher	6	11	25	12	14	15
Alder Flycatcher	0	0	0	0	1	0
American Crow	41	28	42	29	24	113
American Goldfinch	14	1	5	6	3	16
American Redstart	0	1	0	1	1	2
American Robin	0	0	0	0	1	0
Barred Owl	0	0	0	0	0	1





LOOKING FOR TRENDS

EXERCISE 5





LOOKING FOR TRENDS

EXERCISE 5

Purpose: Introduce you to more data exploration and discovery tools

Goal 1: Understand how to use the Observations Map to find survey locations from different datasets for a particular species and examine species trends

Goal 2: Use the Analyst Application to create a species list, check effort summaries, and examine trends.

Thinking Ahead: Consider how Observations Map may be helpful for your analyses and reporting; consider how the Analyst Application can assist in your data visualization and annual reporting needs.



LOOKING FOR TRENDS

EXERCISE 5

- Exercise:
 - Orientation of Observation Map
 - Exercise 5 instructions

Use
Warehouse
Data


6a. Discover
Projects

6b. Visualize
Locations

6c. Analyze
Observations

CASE STUDY:

ASSESSING RELATIVE CONSERVATION RESPONSIBILITY





CASE STUDY:

ASSESSING RELATIVE CONSERVATION RESPONSIBILITY – NORTHERN BOBWHITE

AKN Analyst
output



Fort Campbell



CASE STUDY:

ASSESSING RELATIVE CONSERVATION RESPONSIBILITY – NORTHERN BOBWHITE



Which DoW installations have the most detections?



CASE STUDY:

ASSESSING RELATIVE CONSERVATION RESPONSIBILITY – NORTHERN BOBWHITE



Across protected areas?



CASE STUDY:

ASSESSING RELATIVE CONSERVATION RESPONSIBILITY – NORTHERN BOBWHITE

Across jurisdictions?






CASE STUDY:

ASSESSING RELATIVE CONSERVATION RESPONSIBILITY

Avian Distributions Across Land Ownerships (ADALO) Tool Expansion

- Use **AKN data** in conjunction with **NASA remote sensing products** to model avian distribution and abundance across the U.S.
- Incorporate **DoW AKN data** for Mission-Sensitive Species




Proposal through NASA Research Opportunities in Space and Earth Science (ROSES) –

ACCEPTED!

CASE STUDY:


AVIAN DISTRIBUTIONS ACROSS LANDOWNERSHIPS (ADALO) PHASE 2

- Create species distribution models for Mission-Sensitive Species across the US
- Data from **192 AKN point count projects**
- **Over 50 different protocols**
- Warehouse delivers all of this data in **one spreadsheet** ready for our modeling process
- Models will be updated annually with new observation data and satellite remote sensing data





CASE STUDY:

APPLICATION- SENTINEL LANDSCAPES



WORKFLOW FOR MANAGING A PROJECT





Data from multiple sources, varying formats, historic and contemporary datasets

DoW AKN Training – Air Force, 12 & 14 May 2026, Virtual

[illegible]

Consolidated Data Outputs

(within Project, across Projects)



AKN & THE AVIAN DATA LIFE CYCLE



**FULL
AVIAN
DATA
LIFE
CYCLE**

AKN & THE AVIAN DATA LIFE CYCLE



Plan

- Methodological alignment with partners
- What is your question?
- Office Hours



Protocol Search tool

AKN & THE AVIAN DATA LIFE CYCLE



Create & Organize

- Align AKN Protocols with field methodologies
- Standardized data input & QA/QC via Biologist, Bulk Uploader



Biologists Application



Bulk Uploader Application

AKN & THE AVIAN DATA LIFE CYCLE



Analyze

- Coarse analyses via Analyst tool
- Raw Data Downloader to download clean, raw data for external analyses
- Public Data Downloader to download homogenized



Analyst Application



Raw Data Download





Public Data Download

AKN & THE AVIAN DATA LIFE CYCLE



Share


- Data sharing levels
- Sharing homogenized data via warehouse export
- Program Enterprise capacities



Sharing Levels



AKN & THE AVIAN DATA LIFE CYCLE



Archive

- Staff turnover
- Full description of essential metadata
- Historic and contemporary data
- You own and control in perpetuity



WHAT SHOULD YOU EXPECT THIS YEAR WITH AKN AND DoW PARTICIPATION?



DoW MANDATE MEMO





OFFICE OF THE ASSISTANT SECRETARY OF DEFENSE
 3400 DEFENSE PENTAGON
 WASHINGTON, DC 20301-3400

ENERGY, INSTALLATIONS,
 AND ENVIRONMENT

MEMORANDUM FOR DEPUTY ASSISTANT SECRETARY OF THE ARMY
 (ENVIRONMENT, SAFETY AND OCCUPATIONAL HEALTH)
 DEPUTY ASSISTANT SECRETARY OF THE NAVY
 (ENVIRONMENT AND MISSION READINESS)
 DEPUTY ASSISTANT SECRETARY OF THE AIR FORCE
 (ENVIRONMENT, SAFETY AND INFRASTRUCTURE)

SUBJECT: Department of Defense Avian Knowledge Network Program

The Department of Defense (DoD), like other federal agencies, has significant regulatory, management, and stewardship responsibilities related to migratory birds. These requirements are driven primarily by the Migratory Bird Treaty Act (MBTA), the "Military Readiness Rule" (50 CFR § 21.15, Authorization of take incidental to military readiness activities) and Executive Order (EO) 13186 "Responsibilities of Federal Agencies to Protect Migratory Birds." In accordance with EO 13186, DoD has also established a Memorandum of Understanding with the U.S. Fish and Wildlife Service outlining the management and stewardship activities DoD will implement for migratory bird conservation. All DoD natural resources conservation programs support DoD access to its land, air, and water resources for realistic military training and testing and to sustain the long-term ecological integrity of the resource base and the ecosystem services it provides, in accordance with the Sikes Act. Collecting data and information from ongoing surveys, inventories, and monitoring are essential to make informed management decisions, efficiently and effectively meet regulatory requirements (e.g., the MBTA, the Sikes Act), conduct environmental analyses, and support planning to adaptively manage migratory bird populations in the context of mission activities. As such, the DoD spends millions of dollars annually to collect these data.

However, even with the collection of large amounts of data, DoD faces significant challenges to fully utilize and optimize our avian data. These challenges include: (1) inefficient access to data for regulatory requirements, environmental analyses, and planning; (2) a lack of visibility on avian species population trends and management across the Military Services and broader landscapes; and (3) a lack of a centralized, secure data repository resulting in data loss during personnel turnover.

To address these challenges, DoD began partnering with other federal agencies (i.e., U.S. Fish and Wildlife Service, Bureau of Land Management, U.S. Forest Service) in the development of the Avian Knowledge Network (AKN) in 2016. The AKN is a national clearinghouse for avian data and decision support tool for assessing bird population health, status and trends, specific stressors, and conservation measures. The AKN connects partner datasets, includes metadata and data assumptions, contains powerful data analysis tools, and is a permanent archive of all data records.

This office fully endorses the use of AKN and requests that each DoD Component utilize AKN to the maximum extent practicable and provide staff the support needed to make AKN the best tool for DoD. A coordinated and comprehensive approach to implement DoD's participation in the AKN will directly support the military mission and improve the quality and effectiveness of bird conservation on DoD installations. For DoD to fully employ the power of AKN, user training and significant initial data management is required. This office, through the DoD Legacy Resource Management Program, is committed to providing baseline support and resources to help implement AKN. This support will provide training and education for personnel, and technical assistance related to system use and data management. The DoD AKN Director is Ms. Elizabeth Neipert, at elizabeth.s.neipert@erdcdren.mil or 907-201-6244.

Additionally, a national Cooperative Agreement has been established to support AKN implementation. It provides a streamlined process for DoD Components and installations to contribute additional resources to meet their unique needs.

The point of contact for this office is Ms. Liz Galli-Noble, DoD Senior Natural Resources Program Manager and Legacy Resource Management Program Manager, elizabeth.j.galli-noble.civ@mail.mil or 406-581-8148

KIDD, RICHARD GO
 ODWIN, IV.1163856
 081

Digitally signed by
 KIDD, RICHARD GO
 DN: cn=KIDD, RICHARD GO, o=DoD, ou=DoD, email=kidd.richard.go@dod.mil, c=US

Richard G. Kidd IV
 Deputy Assistant Secretary of Defense
 (Environment and Energy Resilience)

2

DoW AKN STRATEGIC APPROACH

- DoW AKN Program Management Plan
- Status of DoW Data
- Data Initiatives
- DoW-Specific and AKN-wide Tools
- Priority Tasks for FY26



DoW AKN Program

Task Categories



Training

Ex. quarterly regional, service-specific, NMFWA, training videos



DoW-Specific Resources

Ex. user guides, DoW AKN Portal, data visualization and query tools



Data Initiatives

Ex. new data type incorporation, integration with partner data, data standardization



AKN Tools

Ex. new AKN roles, advanced analysis and query functionality, cohesive U.I., Program Enterprise



Ongoing Base Support

Ex. project coordination, customer data support, back-end technical support

DOW MISSION BENEFITS

- Secure database to input/upload, curate, and manage DoW field data
- Empowers historical data
- Assess status of birds on/near installations
- Monitor trends at multiple scales
- Data sharing and integration with partners
- Advanced data analysis and visualization tools
- Access to data that contributes to more technically and scientifically sound INRMPs, NEPA environmental reviews, and ESA Section 7 Consultation
- Contributes directly to proactive conservation, monitoring and management of priority bird species








Enabling the Mission, Defending the Resources

MILITARY SERVICE PROGRESS

Installations with Active Projects by Service Branch

MARCH 2026



Total Number of Installations: **63** Army, **78** Navy, **96** Air Force, **17** Marine Corps, **54** National Guard states/territories






Dark colors - Installations with
Active Projects

Light colors - Installations
without Active Projects

MILITARY SERVICE PROGRESS

Installations with Contemporary Data by Service Branch

MARCH 2026



Total Number of Installations: **63** Army, **78** Navy, **96** Air Force, **17** Marine Corps, **54** National Guard states/territories



Dark colors - Installations with
Active Projects

Light colors - Installations
without Active Projects



MILITARY SERVICE PROGRESS

DoW Data Records in AKN by Military Service



MILITARY SERVICE PROGRESS

DoW Data Records in AKN by Military Service

Check out the latest DoW
AKN Program Progress on
our new Progress Dashboard


Total Data Records in the System

600000
400000
200000
0



DoW AKN Training – Air Force, 12 & 14 May 2026, Virtual

FY24_Q1



<https://www.dodakn.org/dod-akn-progress-dashboard/>

DOW TOOLS

Standardized Sampling Methods

- Survey DoW personnel to identify the most common bird monitoring questions
- Promote standardized data collection methods across DoW
- Provide appropriate protocol selection based on management or research needs





AKN RESOURCES

Standardized Sampling Methods

SPECIES CHECKLIST



Species checklists are a simple way to record both incidental and comprehensive observations of bird species observed on your installation that don't fit a traditionally structured survey (e.g., point counts, line transects, etc.).

CHRISTMAS BIRD COUNT



The Christmas Bird Count (CBC) is a citizen science project that involves counting birds in the Western Hemisphere. Click here to learn how to incorporate CBC data collected on your installation into your AKN Project here.

EBIRD CHECKLISTS



eBird is a powerful community science tool run by Cornell Lab of Ornithology that collects observational data from birders. Click here to learn how to incorporate eBird checklist data collected on your installation in your AKN Project.

POINT COUNT METHODS




Click here to learn about Point Count methodologies including their assumptions, typical use cases, and examples of commonly used methodologies and their AKN Protocols.

AREA SEARCH METHODS



Click here to learn about Area Search methodologies including their assumptions, typical use cases, and examples of commonly used methodologies and their AKN Protocols.

DOW MISSION-SENSITIVE SPECIES (CONUS)



Northern Bobwhite



Greater Sage-grouse



Mountain Plover




Greater Prairie Chicken



Burrowing Owl



Least Tern (Atlantic Coast)



Cerulean Warbler



Golden-winged
Warbler




Pinyon Jay



Southeastern American
Kestrel




Henslow's Sparrow



Rusty Blackbird




Bendire's Thrasher



Tricolored Blackbird



Bachman's Sparrow



DOW MSS - FILTERS

Portal
Announcement



DataDownload_PointCount-2025-03-01_23-10-48																														Search																			
FileHomeInsertPage LayoutFormulasDataReviewViewHelpAcrobat																														InsertDeleteFormat										AutoSumFillFind & FilterSelectSensitivityAdd-insCreate and ShareAdobe PDF									
ClipboardFontAlignmentNumberStyles																														Cells										EditingSensitivityAdd-insAdobe Acrobat									
A1GlobalUniqueIdentifier																																																	
A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK													
1	Global	Project	ProjectName	LocalityID	StudyA	Transect	Transect	Point	Sample	ParentS	Sample	Decima	Decima	Vi	ProtocolCode	ObservationDa	YearCol	MonthC	DayColl	JulianDi	JulianDi	Proj	Time	Collect	Scientif	Commc	Species	Phylog	TaxonC	Distanc	Flyov	In	H	Del	B	Ob	NoObs	Record	mi										
2	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_24	Integrated IM_24	IM_24	24	668976	668931	Point Cour	35.40818	-86.0504	1	3_5_10m25_50_100M+Fly	5/24/2022	2022	5	24	144	65		JL	Setophaga Cerulean V CERW	1705	434	12.5	NR	1	0	CLEAN																		
3	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_24	Integrated IM_24	IM_24	24	668976	668931	Point Cour	35.40818	-86.0504	1	3_5_10m25_50_100M+Fly	5/24/2022	2022	5	24	144	65		JL	Setophaga Cerulean V CERW	1705	434	37.5	NR	1	0	CLEAN																		
4	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_25	Integrated IM_25	IM_25	25	668977	668932	Point Cour	35.38237	-86.0897	1	3_5_10m25_50_100M+Fly	6/12/2008	2008	6	12	164	85		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
5	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_26	Integrated IM_26	IM_26	26	668978	668933	Point Cour	35.38739	-86.0906	1	3_5_10m25_50_100M+Fly	5/18/2017	2017	5	18	138	59		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	2	0	CLEAN																		
6	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_28	Integrated IM_28	IM_28	28	668979	668934	Point Cour	35.38783	-86.0862	1	3_5_10m25_50_100M+Fly	6/18/2008	2008	6	18	170	91		JL	Centronyx Henslow's HESP	1907	894	75	NR	1	0	CLEAN																		
7	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_28	Integrated IM_28	IM_28	28	668979	668934	Point Cour	35.38783	-86.0862	1	3_5_10m25_50_100M+Fly	6/18/2008	2008	6	18	170	91		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
8	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_28	Integrated IM_28	IM_28	28	668979	668934	Point Cour	35.38783	-86.0862	1	3_5_10m25_50_100M+Fly	6/18/2008	2008	6	18	170	91		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
9	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_28	Integrated IM_28	IM_28	28	668979	668934	Point Cour	35.38783	-86.0862	1	3_5_10m25_50_100M+Fly	6/18/2008	2008	6	18	170	91		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
10	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_28	Integrated IM_28	IM_28	28	668979	668934	Point Cour	35.38783	-86.0862	1	3_5_10m25_50_100M+Fly	5/19/2017	2017	5	19	139	60		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
11	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_28	Integrated IM_28	IM_28	28	668979	668934	Point Cour	35.38783	-86.0862	1	3_5_10m25_50_100M+Fly	5/19/2017	2017	5	19	139	60		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
12	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_30	Integrated IM_30	IM_30	30	668981	668936	Point Cour	35.40042	-86.0833	1	3_5_10m25_50_100M+Fly	6/12/2008	2008	6	12	164	85		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
13	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_30	Integrated IM_30	IM_30	30	668981	668936	Point Cour	35.40042	-86.0833	1	3_5_10m25_50_100M+Fly	5/18/2017	2017	5	18	138	59		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
14	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_30	Integrated IM_30	IM_30	30	668981	668936	Point Cour	35.40042	-86.0833	1	3_5_10m25_50_100M+Fly	5/18/2017	2017	5	18	138	59		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
15	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_32	Integrated IM_32	IM_32	32	668983	668938	Point Cour	35.39225	-86.0881	1	3_5_10m25_50_100M+Fly	6/12/2008	2008	6	12	164	85		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
16	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_32	Integrated IM_32	IM_32	32	668983	668938	Point Cour	35.39225	-86.0881	1	3_5_10m25_50_100M+Fly	6/12/2008	2008	6	12	164	85		JL	Centronyx Henslow's HESP	1907	894	37.5	NR	1	0	CLEAN																		
17	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_32	Integrated IM_32	IM_32	32	668983	668938	Point Cour	35.39225	-86.0881	1	3_5_10m25_50_100M+Fly	6/12/2008	2008	6	12	164	85		JL	Centronyx Henslow's HESP	1907	894	75	NR	1	0	CLEAN																		
18	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_32	Integrated IM_32	IM_32	32	668983	668938	Point Cour	35.39225	-86.0881	1	3_5_10m25_50_100M+Fly	5/18/2017	2017	5	18	138	59		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	2	0	CLEAN																		
19	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_32	Integrated IM_32	IM_32	32	668983	668938	Point Cour	35.39225	-86.0881	1	3_5_10m25_50_100M+Fly	5/15/2019	2019	5	15	135	56		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
20	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_33	Integrated IM_33	IM_33	33	668984	668939	Point Cour	35.38504	-86.0865	1	3_5_10m25_50_100M+Fly	5/19/2017	2017	5	19	139	60		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
21	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_34	Integrated IM_34	IM_34	34	668985	668940	Point Cour	35.39222	-86.0836	1	3_5_10m25_50_100M+Fly	6/18/2008	2008	6	18	170	91		JL	Centronyx Henslow's HESP	1907	894	75	NR	1	0	CLEAN																		
22	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_37	Integrated IM_37	IM_37	37	668987	668942	Point Cour	35.35583	-86.1768	1	3_5_10m25_50_100M+Fly	6/4/2008	2008	6	4	156	77		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	2	0	CLEAN																		
23	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_37	Integrated IM_37	IM_37	37	668987	668942	Point Cour	35.35583	-86.1768	1	3_5_10m25_50_100M+Fly	5/17/2017	2017	5	17	137	58		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
24	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_37	Integrated IM_37	IM_37	37	668987	668942	Point Cour	35.35583	-86.1768	1	3_5_10m25_50_100M+Fly	5/17/2017	2017	5	17	137	58		JL	Centronyx Henslow's HESP	1907	894	37.5	NR	1	0	CLEAN																		
25	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_39	Integrated IM_39	IM_39	39	668988	668943	Point Cour	35.39832	-86.0844	1	3_5_10m25_50_100M+Fly	6/12/2008	2008	6	12	164	85		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
26	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_39	Integrated IM_39	IM_39	39	668988	668943	Point Cour	35.39832	-86.0844	1	3_5_10m25_50_100M+Fly	5/15/2019	2019	5	15	135	56		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
27	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_39	Integrated IM_39	IM_39	39	668988	668943	Point Cour	35.39832	-86.0844	1	3_5_10m25_50_100M+Fly	5/15/2019	2019	5	15	135	56		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
28	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_40	Integrated IM_40	IM_40	40	668989	668944	Point Cour	35.35224	-86.1417	1	3_5_10m25_50_100M+Fly	6/4/2008	2008	6	4	156	77		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
29	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_41	Integrated IM_41	IM_41	41	668990	668945	Point Cour	35.35267	-86.1387	1	3_5_10m25_50_100M+Fly	6/4/2008	2008	6	4	156	77		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
30	URN:catal	ARNOLD	[DOD_AIRFORCE]	Arnold AFB	ARNOLD_AFB-IM_61	Integrated IM_61	IM_61	61	668998	668953	Point Cour	35.36268	-86.1177	1	3_5_10m25_50_100M+Fly	5/15/2017	2017	5	15	135	56		JL	Centronyx Henslow's HESP	1907	894	12.5	NR	1	0	CLEAN																		
31	URN:catal	AZ_ARNG	[DOD_MATTGUARD]	Arizona Arm	AZ_ARNG-LOWEBR	Florence B. LOWEBR	Lower B. LOWEBR	1	668293	675873	Point Cour	33.14636	-111.348	2	6_1TB_20B	4/27/2023	2023	4	27	117	38		6:33:00	EC	Toxostom Bendire's BETH	1617	195	550	NR	1	0	CLEAN																	
32	URN:catal	BEALE	[DOD_AIRFORCE]	Beale AFB	BEALE_AFB-SPC2	Beale Poin SPC2	Summer P. SPC2	568070	671796	Point Cour	39.12958	-121.382	1	0_10_4m25_50_100M+	5/13/2024	2024	5	13	134	55																													

DOW MISSION-SENSITIVE SPECIES (CONUS)


Species	# of Installations
Greater Sage-Grouse	6
Greater Prairie-Chicken	3
Northern Bobwhite	70
Southeastern American Kestrel	14
Black Rail**	5
Mountain Plover	16
Burrowing Owl	50
Least Tern (Atlantic Coast Pop)	18
Pinyon Jay	7
Bendire's Thrasher	4
Golden-winged Warbler	24
Cerulean Warbler	30
Bachman's Sparrow	24
Henslow's Sparrow	25
Tricolored Blackbird	15
Rusty Blackbird	30

DOW AKN MSS 4-PRONGED APPROACH


- ✓ FOCUS GROUP
- ✓ AKN PROTOCOLS
- ✓ DATA
- ~~✓ MSS QUERY TOOL IN AKN~~



DOW MISSION-SENSITIVE SPECIES




DOW MISSION-SENSITIVE SPECIES



https://www.dodakn.org/resources/mss/#MSS_PIIA



PINYON JAY SSA – DOW APPROACH



PINYON JAY SSA – AIR FORCE PROGRESS

COMPLETE – Data in the AKN

- Buckley SFB
- Edwards AFB
- Peterson SFB
- Cheyenne Mountain SFS
- Hill AFB

IN PROCESS – Working with DoW AKN Program Team

- Ellsworth AFB
- Creech AFB
- Nellis AFB

No PIJA Observed
(self-report, data not
in AKN)
2

PIJA Observed
Unknown (Data in AKN)
1

1

AWAITING CONTACT – Have not begun work with Team yet

- Francis E. Warren AFB
- US Air Force Academy
- Schriever AFB
- Holloman AFB
- Kirtland AFB
- Nevada Test and Training Range
- Luke AFB

No PIJA
Observed (data
in AKN)
5

PIJA Observed (self-
reported, data not in
AKN)
6



DOW MISSION-SENSITIVE SPECIES

Standardized Monitoring Strategies for Burrowing Owls on DoD Installations
(Garcia et al 2008)

Guidelines and Recommendations for Burrowing Owl Surveys and Mitigation
(California Burrowing Owl Consortium 1993)

Staff Report on Burrowing Owl Mitigation (California Department of Fish and Game 2012)

Comparison of Detection Probability Associated with Burrowing Owl Survey Methods
(Conway and Simon, 2003)

Focus Group SMEs:

Courtney Conway, *USGS ID Cooperative Fish and Wildlife Research Unit*

Sandra Menzel, *Talon Ecological Research Group*


David H. Johnson, *Global Owl Project*

Kevin Warner, *Idaho Army National Guard*


Colin Leingang, *JBLM Yakima Training Center*

Russ Lawrence, *Hill AFB and Utah Test and Training Range*


DOW MISSION-SENSITIVE SPECIES




Determine monitoring objectives




Identify data needs based on questions



Methods and study design considerations



Sampling effort based on monitoring objectives



Field methods and AKN data structure

[illegible]



DOW MISSION-SENSITIVE SPECIES

Standard protocol and study design developed by the National Bobwhite and Grassland Initiative

NBGI mobile data collection app and database

Fall covey counts and spring breeding bird surveys

(NEW!!) Crosswalk data flow from NBGI database housed at Clemson to AKN; Portal Page



NBGI
National Bobwhite &
Grassland Initiative



	A	B	C	D	E	F	G	H	I	J	K	L				
1	StateID	FocalRefID	FocalRef	PointID	Point	Route	Observer	First Name	Last Name	CountID	CountDate	StartTime	Temperature	CloudCover	WindSpeed	WindDir
2	PA	086C3BD0	Letterkenny Focal Area	C36AC288 L12	Focal	FE939D74- Matt	Miller	78892498	6/18/2025	5:50 AM	68	0.9	1			
3	PA	086C3BD0	Letterkenny Focal Area	C36AC288 L12	Focal	FE939D74- Matt	Miller	78892498	6/18/2025	5:50 AM	68	0.9	1			
4	PA	086C3BD0	Letterkenny Focal Area	C36AC288 L12	Focal	FE939D74- Matt	Miller	78892498	6/18/2025	5:50 AM	68	0.9	1			
5	PA	086C3BD0	Letterkenny Focal Area	C36AC288 L12	Focal	FE939D74- Matt	Miller	78892498	6/18/2025	5:50 AM	68	0.9	1			
6	PA	086C3BD0	Letterkenny Focal Area	C36AC288 L12	Focal	FE939D74- Matt	Miller	78892498	6/18/2025	5:50 AM	68	0.9	1			
7	PA	086C3BD0	Letterkenny Focal Area	C36AC288 L12	Focal	FE939D74- Matt	Miller	78892498	6/18/2025	5:50 AM	68	0.9	1			
8	PA	086C3BD0	Letterkenny Focal Area	C36AC288 L12	Focal	FE939D74- Matt	Miller	78892498	6/18/2025	5:50 AM	68	0.9	1			
9	PA	086C3BD0	Letterkenny Focal Area	C36AC288 L12	Focal	FE939D74- Matt	Miller	78892498	6/18/2025	5:50 AM	68	0.9	1			
10	PA	086C3BD0	Letterkenny Focal Area	C36AC288 L12	Focal	FE939D74- Matt	Miller	78892498	6/18/2025	5:50 AM	68	0.9	1			
11	KY	1F1B8CE3	Wendell Ford Training Center Focal Area	CA75992D W4	Focal	AA996222 I	James	33C82968	6/16/2023	5:22 AM	66	0	1			
12	KY	1F1B8CE3	Wendell Ford Training Center Focal Area	CA75992D W4	Focal	AA996222 I	James	33C82968	6/16/2023	5:22 AM	66	0	1			
13	KY	1F1B8CE3	Wendell Ford Training Center Focal Area	CA75992D W4	Focal	AA996222 I	James	33C82968	6/16/2023	5:22 AM	66	0	1			
14	KY	1F1B8CE3	Wendell Ford Training Center Focal Area	CA75992D W4	Focal	AA996222 I	James	33C82968	6/16/2023	5:22 AM	66	0	1			
15	KY	1F1B8CE3	Wendell Ford Training Center Focal Area	CA75992D W4	Focal	AA996222 I	James	33C82968	6/16/2023	5:22 AM	66	0	1			
16	KY	1F1B8CE3	Wendell Ford Training Center Focal Area	CA75992D W4	Focal	AA996222 I	James	33C82968	6/16/2023	5:22 AM	66	0	1			
17	KY	1F1B8CE3	Wendell Ford Training Center Focal Area	CA75992D W4	Focal	AA996222 I	James	33C82968	6/16/2023	5:22 AM	66	0	1			
18	KY	1F1B8CE3	Wendell Ford Training Center Focal Area	CA75992D W4	Focal	AA996222 I	James	33C82968	6/16/2023	5:22 AM	66	0	1			




DoW MISSION-SENSITIVE SPECIES -

PIF Desert Thrasher Working Group monitoring methods on DoW AKN Portal

UPCOMING

- LeConte's Thrasher, Bendire's Thrasher (MSS), Loggerhead Shrike
- Upload data now to make any upcoming data calls easier!






DoW DATA NEEDS

- Sensor and machine-collected data (ARUs)
- BASH Data, specifically data collected by USDA-WS
- Nest data
- Banding data, including MAPS
- Spot-mapping
- Survey 123 cross-walk directly into AKN
- Foreign OCONUS data

NEW DATA TYPES: ARU DATA



**Machine-
collected raw
audio data**

[illegible]

Bulk Uploader Application

AVIAN
KNOWLEDGE NETWORK

123	44	7:51:00	Agelaius tr Tricolored TRBL
-----	----	---------	-----------------------------


NEW DATA TYPES: ARU DATA

Metadata Considerations

- Hardware - sensor make, model
- Microphone type
- Sensor settings
 - Gain (Microphone Sensitivity)
 - Sample Rate (kHz)
 - Pre-filtering
- Study design
 - Recording schedule
 - Sampling Units

**Machine-
collected raw
audio data**

NEW DATA TYPES: ARU DATA



Metadata Considerations

- Post-processing method – manual vs. machine-learning software
- Software name
- Confidence score threshold
- Degree of overlap
- Sensitivity

Species ID via machine-learning

P	Q	R	S	T	U	V	W	X	Y	Z	AA
VersionDa -	YearCol -	MonthC -	DayColl -	JulianDi -	JulianDi -	Proj -	Time -	Collect -	Scientif -	Comm -	Specie -
5/24/2022	2022		5	24	144	65		JL	Setophaga Cerulea v CERW		
5/24/2022	2022		5	24	144	65		JL	Setophaga Cerulean f CERW		
6/12/2008	2008		6	12	164	85			Centronyx Henslow's HESP		
5/18/2017	2017		5	18	138	59		JL	Centronyx Henslow's HESP		
6/18/2008	2008		6	18	170	91			Centronyx Henslow's HESP		
6/18/2008	2008		6	18	170	91			Colinus vir Northern f NOBO		
6/18/2008	2008		6	18	170	91			Colinus vir Northern f NOBO		
6/18/2008	2008		6	18	170	91			Colinus vir Northern f NOBO		
5/19/2017	2017		5	19	139	60		JL	Centronyx Henslow's HESP		
5/19/2017	2017		5	19	139	60		JL	Centronyx Henslow's HESP		
6/12/2008	2008		6	12	164	85			Colinus vir Northern f NOBO		
5/18/2017	2017		5	18	138	59		JL	Centronyx Henslow's HESP		
5/18/2017	2017		5	18	138	59		JL	Centronyx Henslow's HESP		
6/12/2008	2008		6	12	164	85			Colinus vir Northern f NOBO		
5/12/2008	2008		6	12	164	85			Centronyx Henslow's HESP		
6/12/2008	2008		6	12	164	85			Centronyx Henslow's HESP		
5/18/2017	2017		5	18	138	59		JL	Centronyx Henslow's HESP		
5/19/2017	2017		5	15	135	56		JL	Centronyx Henslow's HESP		
5/19/2017	2017		5	19	139	60		JL	Centronyx Henslow's HESP		
6/18/2008	2008		6	18	170	91			Centronyx Henslow's HESP		
6/4/2008	2008		6	4	156	77			Colinus vir Northern f NOBO		
5/17/2017	2017		5	17	137	58		JL	Centronyx Henslow's HESP		
5/17/2017	2017		5	17	137	58		JL	Centronyx Henslow's HESP		
6/12/2008	2008		6	12	164	85			Colinus vir Northern f NOBO		
5/15/2019	2019		5	15	135	56		JL	Centronyx Henslow's HESP		
5/15/2019	2019		5	15	135	56		JL	Centronyx Henslow's HESP		
6/4/2008	2008		6	4	156	77			Colinus vir Northern f NOBO		
6/4/2008	2008		6	4	156	77			Colinus vir Northern f NOBO		
5/15/2017	2017		5	15	135	56		JL	Colinus vir Northern f NOBO		
4/27/2023	2023		4	27	117	38			Toxostom Bendire's tBETH		
5/13/2024	2024		5	13	134	55	6:33:00	EC	Agelaius tr Tricolored TRBL		
6/2/2021	2021		6	2	153	74			Agelaius tr Tricolored TRBL		
6/10/2024	2024		6	10	162	83	8:31:00	EC	Agelaius tr Tricolored TRBL		
5/2/2022	2022		5	2	122	43	7:01:00		Agelaius tr Tricolored TRBL		
5/13/2024	2024		5	13	134	55	6:41:00	EC	Agelaius tr Tricolored TRBL		
6/10/2024	2024		6	10	162	83	8:22:00	EC	Agelaius tr Tricolored TRBL		
6/10/2024	2024		6	10	162	83	8:22:00	EC	Agelaius tr Tricolored TRBL		
6/14/2023	2023		6	14	165	86		EC	Agelaius tr Tricolored TRBL		
6/2/2020	2020		6	2	154	75			Agelaius tr Tricolored TRBL		
6/2/2020	2020		6	2	154	75			Agelaius tr Tricolored TRBL		
					162	83	8:11:00	EC	Agelaius tr Tricolored TRBL		

Tabularized observation data

SCOPE OF WORK LANGUAGE

for Contracts, Cooperative Agreements and Interagency Agreements

Issue: possession of and access to data collected by contractors, external partners

Solution: enter into DoW-owned AKN projects

Method: develop language and guidelines for DoW contracts and agreements

DoW AKN Guidance:

1. Avian Knowledge Network Data Sharing Guidelines
2. Describing Sampling Protocol Definition for AKN Compatible Projects
3. Sampling Protocol Definition Template
4. Describing Field Methods and Sampling Design
5. Creating AKN Compatible Sampling Units
6. Sampling Unit Bulk Upload Templates
7. AKN Data Access, Entry, and Analysis
8. Preparing Data to Submit for Bulk Uploading for AKN Compatible Projects

SCOPE OF WORK LANGUAGE

for Contracts, Cooperative Agreements and Interagency Agreements




*Leveraging Partnerships, Data and Technology Information
Revolutionize Avian Conservation and Management*

**Statement of Work Language for Department of Defense
Service Contracts, Grants, and Cooperative Agreements**
DRAFT – February 2023

Introduction

To improve quality, access, and usability of avian survey, monitoring, and research data collected for Department of Defense (DoD), contractors and cooperators collecting such data use the Avian Knowledge Network (AKN) to enter, proof, and deliver their data. Here we provide guidance for developing statement of work language for contracts and agreements to specify such use of the AKN by contractors and/or cooperators. Specifications may vary based on whether the DoD is acquiring data from a contractor via a service contract or from a cooperator via a grant or cooperative agreement. The DoD and AKN are also developing new capacities, including a Program Enterprise System and additional user access specifications that will influence how the DoD specifies AKN use in contracts, grants, and cooperative agreements.

Following are details to be included in the "Statement of Work" section of a service contract, grant, or cooperative agreement. There are multiple options for data access, project set-up, and data entry for users with AKN training or for contractors/cooperators who do not have AKN training but will need to submit their project data in AKN compatible formats.

Terms used in Statement of Work (SOW) language

AKN Project—Fundamental unit of organization for observation data within the AKN. Projects contain information about how (Protocols), who (Researchers and Users), where (Sampling Units), when (Sampling Events), and what (Sampling Event Observations) data are collected. For DoD, each installation has its own project.

Sampling Protocol Definition—Defines how the data were collected and how they are stored.

Contractor/Cooperator—Party within the agreement that is primarily responsible for data collection and data entry.

DoD Designee—Primary DoD point of contact for contract terms. Can also specify an DoD AKN staff member if AKN staff will be working with the Contractor/Cooperator.

Field Methods—Protocol for data collection in the field used by the Contractor/Cooperator.

User Roles—The AKN allows for multiple levels of access to enter, manage, and share data. AKN users are assigned a User Role associated with each AKN Project they have permission to access. Current User Roles include:

- Biologist**—An AKN user assigned as a Biologist in an AKN Project can enter and proof data. Biologists can also review, edit, or correct previously entered data in any dataset housed within the AKN Project.
- Project Leader**—In addition to all Biologist User Role capacities, AKN users assigned as a Project Leader in an AKN Project can assign Sampling Protocol Definitions to an AKN Project, manage the Sampling Units (areas, points, transects, etc), manage data, get full exports of the AKN Project data from the system, and manage the User Roles (Biologist or Project Leader) of other AKN users on the AKN Project. Project Leaders can also set the desired data sharing levels for data, which determines how the data will appear in the various tools in AKN.

Sampling Unit—Field location where research or a survey is conducted and samples (observations) are collected. Sampling units are arranged hierarchically within AKN Projects (e.g., point count points nested within a transect).




Sampling Units contain a location name and geometry that describes where it sits on the earth. All point, polygon and other geographic data are described in WGS-84 Latitude-Longitude (EPSG:4326) geographical coordinate system.

Sampling Event—Represents the survey itself with a unique combination of location, date and time, person/people, and the protocol employed.

Statement of Work Language

The statement of work should specify standards for 1) data ownership and access 2) selecting sampling methods and AKN Sampling Protocol Definition(s), 3) providing details about sampling locations, 4) formats for uploading data. A user with AKN training may engage with the AKN directly as part of each of these steps; however, options are provided below for each step that allow for a Contractor/Cooperator without AKN training to provide the information in a format that is easily uploaded into the AKN by a DoD Designee. Information provided must be fully described per the AKN Guidance documents referenced in each step below.

DATA OWNERSHIP: DoD must have permanent access to all data collected for the agreement.

- SOW LANGUAGE:** DoD owns and will have permanent access to all data collected for the agreement. The observation data (not summarized data) must be entered into the AKN and approved by the appropriate Project Leader at the appropriate sharing level (see DoD AKN Guidance: AKN Data Access, Entry, and Analysis for sharing level definitions). Data may be shared with the Contractor/Cooperator following [DoD AKN Guidance: AKN Data Sharing Guidelines](#) with specifics outlined in an AKN Data Sharing Agreement [DoD Designee PROVIDES ATTACHMENT].

DATA COLLECTION: Specify whether DoD or the Contractor/Cooperator will choose the sampling methods (CHECK ONE):

☐ DoD Designee will specify the sampling methods to be used and corresponding Sampling Protocol Definition.

- SOW LANGUAGE:** Contractor/Cooperator will use [FIELD METHOD WITH CITATION] with associated field forms [DoD Designee PROVIDES ATTACHMENT]. The data collected on field forms will conform to the metadata specified by the methodology and associated Sampling Protocol Definition provided at [DoD Designee provides AKN link].

☐ Contractor/Cooperator will specify the sampling methods to be used and corresponding Sampling Protocol Definition. (Only use this option if the Contractor/Cooperator knows there is a corresponding Sampling Protocol Definition in the AKN).

- SOW LANGUAGE:** Contractor/Cooperator will provide sampling methods with associated field forms and a link to the associated Sampling Protocol Definition here: <https://data.gointlblue.org/science/biologists/pho/protocolsearch.php>. Instructions for describing metadata are provided in [DoD AKN Guidance: Describing Sampling Protocol Definitions](#) and instructions for providing sampling methods is provided in [DoD AKN Guidance: Describing Field Methods and Sampling Design](#).


☐ Contractor/Cooperator will specify sampling methods to be used that does not have a corresponding AKN Sampling Protocol Definition.

2

DoW AKN Guidance:

1. Avian Knowledge Network Data Sharing Guidelines
2. Describing Sampling Protocol Definition for AKN Compatible Projects
3. Sampling Protocol Definition Template
4. Describing Field Methods and Sampling Design
5. Creating AKN Compatible Sampling Units
6. Sampling Unit Bulk Upload Templates
7. AKN Data Access, Entry, and Analysis
8. Preparing Data to Submit for Bulk Uploading for AKN Compatible Projects

GUIDANCE TO HELP PROJECT MANAGERS DETERMINE ROLES FOR THEIR CONTRACTORS



AKN Guidance:

- Guidance for NRMs working with **contractors**
- Describes all available **User Role choices**
- Assist NRMs in deciding **what level of AKN Project access** to grant contractors
 - Takes into account NRM effort/involvement, contractor access, etc.

DoW AKN USER GUIDE

**Detailed Step-by-step Instructions for AKN Use;
Supplements Training**



**Getting
Started**


**Managing
Project**

**Getting
Data In**

**Getting
Data Out**

**Exploring
Data**

**DoW
Glossary**



AKN TOOLS

Enterprise Support for Programs

Need: Data curation, management, and analysis at multiple scales (e.g., field office, regional office, entire agency)

Solution: AKN-wide structure allowing multiple Project grouping via Programs.

Plan: Build new technology, to create/manage Programs, especially for query and download of project data

Status: In prototype phase

- I. Beta test of Program download tool
- II. Prototype of Program warehouse

Project Management Portal

Project Downloader

This tool allows you to download your observation data, sampling unit configurations, or both on a per-sampling unit, per-project basis. All projects that you have access to, including any in your program, will be available for selection. Once you click the download button, a zip file containing one CSV per selection will download from your browser.

Project

Select one or more projects or sampling units for data download.

Filter

☐ Select all projects

- ☐ ★ ABERDEEN_PROVING_GROUND - (DOD_ARMY) Aberdeen Proving Ground
- ☒ ★ ALTUS_AFB - (DOD_AIRFORCE) Altus AFB
- ☒ ★ ARNOLD_AFB - (DOD_AIRFORCE) Arnold AFB
- ☒ ★ AZ_ARNG - (DOD_NATGUARD) Arizona Army National Guard
- ☒ ★ BARKSDALE_AFB - Barksdale Air Force Base
- ☐ ★ BARRY_GOLDWATER_RANGE_EAST - (DOD_AIRFORCE) Barry M. Goldwater Range East
- ☒ ★ BARRY_GOLDWATER_RANGE_WEST - (DOD_MARINE) Barry M. Goldwater Range West

You must select at least one sampling unit or project

Observation data

If you would like to download observation data, select the type(s) of survey data to be included in the download.

Survey types
NOTE: If the survey data type is not available for any number of projects you've selected, those projects will not be included in the resulting download.

- ☐ Point count observations
- ☐ Area search observations
- ☐ Secretive marshbird observations
- ☐ Vegetation observations
- ☐ Site condition observations
- ☐ Linear transect observations
- ☐ Soil survey observations
- ☐ WIFL territory summaries
- ☐ Banding observations

Date filter
Select a date filter to limit observation data downloaded to those created within the specified range.


Start date Stop date

Sampling units

If you would like to download sampling units, select which file type(s) to include in the download.

- ☐ CSV
- ☐ KML
- ☐ Shapefile
- ☐ GPSU
- ☐ Waypoint


You must select at least one of either the observation data or sampling unit file types




AKN TOOLS

Henslow's Sparrow Trends Across Enterprise Scales



Installations



Military Service Branch



Department of War






CASE STUDY: PROGRAM ENTERPRISE – COLONIAL WATERBIRDS

- CWB data collected across **several states and provinces**
- Survey **methods vary** (e.g., some count pairs, some nests), stored in many **different formats**
- **Lack of visibility** on species data and numbers state-wide, range-wide



Great Egret (rookery); Fort Stewart; Photo credit: Paul Block

CASE STUDY:


[illegible]

Sampling Protocol Definition(s)


CWB ATLANTIC FLYWAY CONDITION



Colonial Waterbird Program Structure



**Program-based multi-scaled
data access, analysis, download & outputs**



Flexibility with data analysis

**Sharing controlled at the Project database (or
observation) level, can choose to share or not**

**Scaled conservation actions targeted
where most needed**



DoW Program Structure



**Air Force
Subprogram**



Installation Project
Databases

**Army
Subprogram**



Installation Project
Databases

**Navy
Subprogram**



Installation Project
Databases

**Marine
Subprogram**




Installation Project
Databases

**National Guard
Subprogram**



Installation Project
Databases

DoW Program



Other Agency
Project Databases

Other
Partner Databases

Other Projects & Programs

Flexibility with data analysis

Sharing controlled at the Project database (or
observation) level, can choose to share or not

Scaled conservation actions targeted
where most needed

AKN TOOLS

More Flexible User Roles


Need: Roles in the system that meet requirements for data entry and/or analysis for portions of AKN projects

Solution: Creation of two new user roles that meet identified needs

Plan: Create two new roles

- I. **Contractor Role** - support a contractor requiring access (data entry, data download, data analysis) to a portion of Project
- II. **Analyst Role** - allow full access to a Project or Program for data download and analysis, w/o ability to manage metadata or user access.

Status: Needs and roles identified, Will begin upon completion of the Enterprise Support for Programs





Driving Avian Data Questions

1. What species have confirmed occurrence on my installation?
2. What species have the potential to occur on my installation?
3. What species may occur/persist on my installation in the future?
4. How are species “doing” (population metrics) on my installation? (AKA “is my INRMP effective?”)
How are species doing across the military? (AKA “Is the DoW conservation program effective?”)
5. What factors are driving population trends on my installation? Are there conservation measures/actions within my INRMP that are working more than others to reach identified conservation objectives?
6. What is the relative conservation responsibility of avian species on military installations?



FY26 PRIORITY TASKS

Base Support

- Program Coordination
- Installation Consulting (Office Hours)
- Back-end Technical Support
- Customer Data Support
- Reporting: Annual, Qtrly & Factsheets
- Annual Support Costs (Science Cloud)

Training

- Regional Training (4x/year)
- Service-specific Trainings (Army)
- Manager Training Modules
- Expanded Methodology Training
- Training Videos

AKN Tools (Partner Initiatives)

- Database-to-database API
- Creation of Contractor Role
- Creation of Analyst Role
- New Analyst Tool

Data Initiatives

- MSS Protocols & Data
- ARU-collected Data Model
- BASH Data in Science Cloud
- Banding Data in Science Cloud
- Decision-support Tools & Publications

DoW-Specific Tools

- Conservation Responsibility
- Management Program Update
- Standardizing DoW Bird Monitoring
- Mission-sensitive Species Tools
- Operations Sustainment Tool

Military Services & Installation Support

- Historical/Contemporary Data Support
- Custom Data Outputs
- Direct Data Initiatives
- Case Study Development



WHAT UPDATES, INITIATIVES, TOOLS DO YOU WANT TO SEE?



ERDC
ENGINEER RESEARCH & DEVELOPMENT CENTER





NEXT STEPS FOR YOU





SIGN UP FOR DOW AKN UPDATES

Welcome to the DoD AKN Portal

Provides a modern avian data management system approach to foster efficient, cost-effective and resilient conservation outcomes in support of the military mission.

[Manage data now](#)[Does AKN currently support my data type?](#)[DoD AKN User Guide](#)[Get Training!](#)**AVIAN**
KNOWLEDGE NETWORK[Sign Up to Receive DoD AKN Program Updates](#)

Join the DoD AKN Program Contact List

Name *

First

Last

Affiliation (Military Service or Company Name) *

Installation (if applicable)

Email *

Comment or Message

[Submit](#)

Bluethroat, Nome, AK, C. VanTassel

<https://www.dodakn.org/resources/join-the-dod-akn-program-contact-list/>



SIGN UP FOR AKN UPDATES



SIGN UP FOR UPDATES | CONTACT

AVIAN
KNOWLEDGE NETWORK

ABOUT ▾ TOOLS ▾ PORTALS ▾ HELP ▾ Q

Avian Knowledge Network

Leveraging Partnerships, Data and Technology to Revolutionize Avian Conservation and Management



A NATIONAL PARTNERSHIP

Who We Are

The Avian Knowledge Network (AKN) is a partnership currently composed of federal and state agencies and non-governmental organizations who have shared priorities regarding informatics needs for biodiversity conservation and management. The AKN is a powerful and secure cloud computing system that government agencies, NGO's and others are using to enter, manage, analyze and share their avian observation data.

[MORE ABOUT AKN](#)



MANAGE & EXPLORE DATA

AKN offers tools for collecting, entering, uploading, managing, accessing and summarizing bird monitoring data.

[EXPLORE TOOLS](#)

SIGN UP FOR UPDATES | CONTACT

AVIAN
KNOWLEDGE NETWORK

ABOUT ▾ TOOLS ▾ PORTALS ▾ HELP ▾ Q



KEEP CONNECTED

AKN Newsletter / Updates

Subscribe to keep informed about updates and new features in the Avian Knowledge Network.

Archive

Coming soon!

Subscribe

* INDICATES REQUIRED FIELD

Email Address *

First Name *

Last Name *

Associated Organization *

[SUBSCRIBE](#)



ONGOING SUPPORT

■ *Monthly Virtual Office Hours*

- Monthly “Office Hours”
- Calendar and signups [here](#)

■ *Other Opportunities*

- Training videos on AKN YouTube Channel
(https://www.youtube.com/channel/UCi9in_tC9uTZa9Bo3HgnY1Q/featured)



<https://www.dodakn.org/get-training/>

Training Course Site

Select the link below to access the Training Course Site which gives you access to the current and archived course agendas and materials including training slides and course exercises.

Current: https://pointblue.github.io/dod_workshop/

Archive: https://pointblue.github.io/dod_workshop/archive.html

**Questions, thoughts, suggestions in the future?
Contact our team!**

DoDAKN@erdc.dren.mil



Office Hours: Project Set Up in the AKN

New Project Questionnaire

Name:

Installation:

Email Address:

- 1) Please provide a short summary of the scope of your project. What are the objectives/questions for your project?
- 2) What survey type do you conduct? (e.g., Point Count, Area Search, Line Transect, etc.)
- 3) **Sampling Units:** How are your surveys organized? How do you select your sampling locations? Briefly describe your study design.
 - a. If point counts, are they grouped into transects, or are all points independent?
Y or N
- 4) **Observation Protocol:** Describe your field methods. Do you have a written protocol or data dictionary? Y or N
 - a. Species
 - b. Length of survey
 - c. Time Bins
 - d. Distance—exact or binned?
 - e. Detection cues—do you record this? Y or N
 - If so, what detection cues do you use (e.g., call, song, visual, wing, etc.)?
 - If so, all types or just first detected?



END-TO-END PROCESS TO REGISTER A NEW USER DEMONSTRATION





STEP 1: NEW USER REQUESTS AN ACCOUNT

Point Blue New User Registration

New User Registration

First Name *
DoD

Last Name *
TestUser

Email Address *
DoDTest@akn.org
to sign-in and register.

Password *
.....

Re-enter Password *
.....

Your Organization *
Testing

Street Address
123 Test St.

City
Test City

State
Choose

Country
United States of America (USA) ▼

Point Blue New User Registration

Thank you for registering!

We will be sending you an email momentarily asking you to confirm this registration

- Make sure that you can receive email from datasolutions@pointblue.org so that the message isn't blocked as spam.
- You should receive a confirmation email within a few minutes. If not, you should re-register, as your email address may have been typed incorrectly.
- If you do not receive your confirmation email after the second registration attempt, please send an email to support@pointbluehelp.zendesk.com with details of your registration.
- Use the link in that email to confirm your registration. Upon confirmation, an email will be sent to a project leader or system administrator approving your access to the system and any projects you've requested.



STEP 2: VERIFY ACCOUNT

 datasolutions@pointblue.org 13-03-202

Subject: Please confirm your registration with DOD_DEMO

Confirm Your Registration with DOD_DEMO

DOD_DEMO User Name: DoDTest@akn.org

Thank you for registering your account with DOD_DEMO

Before you are able to use your new account, you must click the link below to validate your e-mail address and complete your registration:

https://data.pointblue.org/apps/public/deju.php?p=NewuserConfirm&tt=__tmpr65f1ee1b28d6d&hs=YjQ0WnowTmNMVGZ3adc&deju_nextPage=nu-confirm

If you have any problems or questions, please contact us at support@pointblue.org

Point Blue Science Cloud

Email confirmation

Please use the button below to complete your email confirmation.

Confirm my email

Point Blue Science Cloud

Email successfully confirmed


Thank you for successfully confirming your email address.

An email was sent to the project leader(s) of your requested project for approval.

Once your project access has been approved you will receive an email with information about how to log into the system.



STEP 3: PROJECT LEADER APPROVAL





STEP 3: PROJECT LEADER APPROVAL

THIS IS WHERE YOU COME IN



Project Leader

[Home](#)[Sampling Units](#)[Field Observations](#)[Project Definition](#)

Approve New User Request

Project:

DOD_DEMO

Requestor:

TestUser, DoD

Email: **DoDTest@akn.org**

Which Approval should you choose? ?

Approve as Biologist

Approve as Project
Leader

Deny Access



BIOLOGISTS VIEW

Welcome to AKN Biologists

AKN Biologists is an application for entering and reviewing field observations in support of the Avian Knowledge Network, hosted by [Point Blue Data Solutions](#)

Projects

What project do you want to work in?

[Quick Tips >>](#)

DOD_DEMO - DoD Demonstration Project

Project Observation Types

For project: DOD_DEMO

What type of observations would you like to work on?

[Quick Tips >>](#)

- [Area Search Surveys](#)
- [Point Count Surveys](#)
- [Site Conditions](#)

[Feedback](#) | [User:](#) dodtest@akn.org | [Logout](#)

Powered by [Point Blue Data Solutions](#)



INACTIVE ACCOUNT

[Biologists](#) [Project: DOD_DEMO](#)

Error: PRBODB.InvalidProjectAccessRights (403 error) ✕

Welcome to AKN Biologists

AKN Biologists is an application for entering and reviewing field observations in support of the Avian Knowledge Network, hosted by [Point Blue Data Solutions](#)

Projects

What project do you want to work in?

[Quick Tips >>](#)

Loading available project operations...

[Feedback](#) | [User: dodtest@akn.org](#) | [Logout](#)

Powered by [Point Blue Data Solutions](#)



OPEN FORUM





PLUSES AND DELTAS

WORKSHOP WRAP-UP

